Rittal – The System.

Faster – better – everywhere.



HD Nivellierfüße
HD Levelling Feet
HD Pieds de nivellement

4000.240
4000.250

Montage- und Bedienungsanleitung
Assembly and operating instructions
Notice d'emploi et de montage



Lieferumfang/Scope of supply/ Composition de la livraison

			Best.-Nr. Model No. Référence
	M12	4 x	**4000.240**
	M12	4 x	**4000.250**
	M10	4 x	



F max – Siehe Belastungsbroschüre TS8
F max – See Load indications TS8
F max – voir brochure »Load indications TS8«
(disponible en version anglaise seulement)



SW13/16/19

mm

ø 14,8

DE EN FR

Montage Nivellierfüße/Assembly levelling feet/ Montage des pieds de nivellement

1.1

F max = 7000 N



1.2



1.3



M_A = 5 Nm

1.4



1.5



4000.250

1.6



4000.250 M_A = 20 Nm

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power Distribution
- Climate Control
- IT Infrastructure
- Software & Services

04.2018/D-0000-00000312Rev01

You can find the contact details of all
Rittal companies throughout the world here.

www.rittal.com/contact

RITTAL GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone +49(0)2772 505-0 · Fax +49(0)2772 505-2319
E-mail: info@rittal.de · www.rittal.com