# PIT es Set10u-5c PCB 400460



PITestop active, set consists of E-STOP pushbutton can be activated/ deactivated with flashing function, without logo and without E-STOP symbol, with contact block with dropout protection in accordance with EN 60947-5-1 and EN 60947-5-5 and with LED safety module PCB, 2 N/C (2 N/C), with quick-connect technology.

## Technical details

| | |
|---|---|
| **General data** | |
| Approval: | CE, UKCA, TÜV |
| Lamp: | LED |
| Lamp colour: | yellow, red |
| **Technical data** | |
| **Electrical data** | |
| Rated operating voltage: | 24 V DC |
| **Emergency stop** | |
| Release type emergency stop: | Turn release |
| Switch cap. E-STOP to standard: | EN 60947-5-1 |
| Contact fuse protection E-Stop: | ≤ 1 A |
| Contact material E-STOP: | AgNi |
| **Environmental data** | |
| Ambient temperature: | -25 - 55 °C |
| Vibration to standard ...: | EN 60947-5-5 |
| Peak amplitude: | Max. 0.35 mm |
| Clearance & creepage dist. to: | EN 60947-5-1 |
| Overvoltage category: | II |
| Pollution degree clear.&creep.: | 2 |
| **Mechanical data** | |

| | |
|---|---|
| Mounting position: | any |
| Connection terminal: | Spring-loaded terminal |
| Height dimension: | 86.4 mm |
| Width dimension: | 65 mm |
| Depth dimension: | 65 mm |
| Net weight: | 92 g |
| Gross weight: | 180 g |
| Environment | |
| RoHS directive: | 2011/65/EU, 2015/863/EU |
| RoHS conformity: | yes |
| RoHS exceptions: | yes |
| RoHS except.s acc. to direct.: | 7a, 7c I |
| REACh compliance: | contains min. 1 SVHC-substance |
| REACh included substances: | Lead, Lead oxide |
| %-part of the pollutant: | > 0,1% |
| CAS No.: | 7439-92-1, 1317-36-8 |
| WEEE classifikation (08/2018): | 5 devices (feed size < 50cm) |
| SCIP entry available: | 0 |
| Commercial data | |
| Harmonized System Code: | 85365011 |
| UNSPSC 25: | 46171620 |
| EAN-Code: | 4046548083415 |
| ECLASS version: | ECLASS-13 |
| ECLASS Reference Feature: | 27371244 |
| ETIM Version: | ETIM-9.0 |
| ETIM Reference Group: | EG000017 |
| ETIM Reference Feature: | EC002034 |
| Volume: | 7.425 dm3 |

## Optional accessories



400222 PIT es wrench