Your Expert Partner for **Human Machine Interfaces**

Actuator

Distribution by
Rs-online

19-
030.005



https://rs-online.eao.com/component/19-030.00...

Your product:



19-030.005
Actuator

FRONT

Front dimension:	Ø 9 mm
Front form:	Round
Front bezel colour:	Black
Front bezel material:	Plastic

MOUNTING

Design:	Raised
Mounting cut-out:	Ø 8 mm
Mounting type:	Panel mounting

MECHANICAL CHARACTERISTICS

Terminal:	Plug-in terminal, 2 x 0.5 mm
Weight:	0.002 kg

AMBIENT CONDITION

Operating temperature:	– 25 °C … + 45 °C with filament lamp, – 25 °C … + 65 °C with LED, mounted as a block, make sure the heat can escape freely

CERTIFICATE

REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

Short Description: Actuator, Ø 8 mm, Ø 9 mm, Round, Black, Plastic, Plug-in terminal, 2 x 0.5 mm

Internal size: Ø 7,3 mm

Housing colour: Black

Housing material: Plastic

Wiring diagrams:



Component layouts:



A = Terminals (rear side)
B = Indicator

Mounting cut-outs:



Dimension drawings:

