PRODUCT-DETAILS

BER16-4KF

BER16-4KF Connection Set for Reversing Contactors



General Information

Extended Product Type	BER16-4KF
Product ID	1SBN081322R1000
EAN	3471523131422
Catalog Description	BER16-4KF Connection Set for Reversing Contactors
Long Description	BER16-4KF is a connection set used to connect the main poles of two 3-pole AF09..K ... AF16..K, AFC09..K ... AFC16..K contactors mounted side by side. The connection sets are made up of: • 1 upstream and 1 downstream connections • Insulated, solid copper bars • Black fork pieces for a quick dismounting of reversing contactors. With the Push-in Spring terminals, one push is all you need for a faster than ever installation, an easier than ever wiring and a reliable as ever connection.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

© 2025 ABB. All rights reserved.

Popular Downloads

Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SBC101056M6801
Instructions and Manuals (Part 2)	1SAC200017M0002
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	72 mm
Product Net Depth / Length	27 mm
Product Net Height	32 mm
Product Net Weight	0.05 kg

Technical

Standards	EN 60947-1, EN 60947-4-1, UL 60947-4-1, CSA C22.2 No. 60947-4-1
Rated Operational Voltage	Main Circuit 690 V AC
Rated Frequency (f)	Main Circuit 50 / 60 Hz
Terminal Type	Push-in Spring Terminals
Suitable For	AF09 AF09Z AF12 AF12Z AF16 AF16Z
Product Name	Connection Set

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Declaration	2CMT2021-006277
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	1SBD250021U1000
Declaration of Conformity - UKCA	1SBD250043U1000
GOST Certificate	GOST_POCCFR.ME77.B07175.pdf
UL Certificate	UL-US-L312527-151-12119002-5 UL-CA-L312527-451-12119002-5

© 2025 ABB. All rights reserved.

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	36 mm
Package Level 1 Depth / Length	75 mm
Package Level 1 Height	35 mm
Package Level 1 Gross Weight	0.06 kg
Package Level 1 EAN	3471523131422

External Classifications and Standards

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39120000
E-Number (Finland)	3709748
E-Number (Sweden)	3210699

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors



© 2025 ABB. All rights reserved.