
A9160003

Plug-in contact, 1 x 9 V (PP3)

Version: Lateral cable exit. Cable length approx. 100 mm. Diameter of contacts = 5.7/5.3 mm.
Application: for a 9 V flat battery (PP3).

Supply
1 plug-in contact



TECHNICAL DATA

Standards	RoHS compliant, REACH compliant

Please take the dimensions from current parts. These are subject to material- and manufacturing-specific tolerances.

PURCHASING DATA

Weight/1 part	1 g
Customs tariff number (OKW product)	85444290
Country of manufacture	Taiwan

A9160003

Plug-in contact, 1 x 9 V (PP3)

SYSTEM COMPONENTS TO COMPLETE



A0615017
COMTEC 150 F, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
150x200x51.5mm
IP 40




A0615019
COMTEC 150 F, Vers. II
ABS (UL 94 HB)
black RAL 9005
150x200x51.5mm
IP 40



A0615117
COMTEC 150 H, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
150x200x71.5mm
IP 40




A0615119
COMTEC 150 H, Vers. II
ABS (UL 94 HB)
black RAL 9005
150x200x71.5mm
IP 40



A0620017
COMTEC 200 F, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
200x150x42.8mm
IP 40



A0620019
COMTEC 200 F, Vers. II
ABS (UL 94 HB)
black RAL 9005
200x150x42.8mm
IP 40



A0620117
COMTEC 200 H, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
200x150x62.8mm
IP 40




A0620119
COMTEC 200 H, Vers. II
ABS (UL 94 HB)
black RAL 9005
200x150x62.8mm
IP 40



A9046107
HAND-TERMINAL M, Vers. I
PC+ABS (UL 94 V-0)
off-white RAL 9002
220x120x65mm
IP 65 opt.



A9046109
HAND-TERMINAL M, Vers. I
PC+ABS (UL 94 V-0)
black RAL 9005
220x120x65mm
IP 65 opt.



A9046207
HAND-TERMINAL M, Vers. II
PC+ABS (UL 94 V-0)
off-white RAL 9002
220x120x65mm
IP 65 opt.



A9046209
HAND-TERMINAL M, Vers. II
PC+ABS (UL 94 V-0)
black RAL 9005
220x120x65mm
IP 65 opt.



A9060007
HAND-HELD-BOX P, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
145x80x36.5mm



A9060009
HAND-HELD-BOX P, Vers. I
ABS (UL 94 HB)
black RAL 9005
145x80x36.5mm



A9060017
HAND-HELD-BOX P, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
145x80x36.5mm



A9060019
HAND-HELD-BOX P, Vers. II
ABS (UL 94 HB)
black RAL 9005
145x80x36.5mm

A9160003

Plug-in contact, 1 x 9 V (PP3)



A9061017
HAND-HELD-BOX N, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
180x100x44mm



A9061019
HAND-HELD-BOX N, Vers. I
ABS (UL 94 HB)
black RAL 9005
180x100x44mm



A9062017
HAND-HELD-BOX M, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
145x80x38.5mm



A9062019
HAND-HELD-BOX M, Vers. I
ABS (UL 94 HB)
black RAL 9005
145x80x38.5mm



A9067107
SMART-CASE L, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
140x62.7x30.5mm
IP 40



A9067109
SMART-CASE L, Vers. I
ABS (UL 94 HB)
black RAL 9005
140x62.7x30.5mm
IP 40



A9067209
SMART-CASE L, Vers. I
PMMA (IR) (UL 94 HB)
black RAL 9005
140x62.7x30.5mm
IP 40



A9068107
SMART-CASE XL, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
168x74.4x35.4mm
IP 40



A9068109
SMART-CASE XL, Vers. I
ABS (UL 94 HB)
black RAL 9005
168x74.4x35.4mm
IP 40



A9068209
SMART-CASE XL, Vers. I
PMMA (IR) (UL 94 HB)
black RAL 9005
168x74.4x35.4mm
IP 40



A9072107
DATEC-POCKET-BOX L
ABS (UL 94 HB)
off-white RAL 9002
120x65x22mm
IP 41



A9072109
DATEC-POCKET-BOX L
ABS (UL 94 HB)
black RAL 9005
120x65x22mm
IP 41



A9072117
DATEC-POCKET-BOX L
ABS (UL 94 HB)
off-white RAL 9002
120x65x22mm
IP 54



A9072119
DATEC-POCKET-BOX L
ABS (UL 94 HB)
black RAL 9005
120x65x22mm
IP 54



A9072127
DATEC-POCKET-BOX L
ABS (UL 94 HB)
off-white RAL 9002
120x65x22mm
IP 41



A9072129
DATEC-POCKET-BOX L
ABS (UL 94 HB)
black RAL 9005
120x65x22mm
IP 41

A9160003

Plug-in contact, 1 x 9 V (PP3)



A9072209
DATEC-POCKET-BOX L
PMMA (IR) (UL 94 HB)
black RAL 9005
120x65x22mm
IP 41



A9072219
DATEC-POCKET-BOX L
ABS (UL 94 HB)
black RAL 9005
120x65x22mm
IP 54



A9072229
DATEC-POCKET-BOX L
PMMA (IR) (UL 94 HB)
black RAL 9005
120x65x22mm
IP 41



A9073107
DATEC-MOBIL-BOX S, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
152x83x33.5mm
IP 65 opt.



A9073109
DATEC-MOBIL-BOX S, Vers. I
ABS (UL 94 HB)
black RAL 9005
152x83x33.5mm
IP 65 opt.



A9073207
DATEC-MOBIL-BOX S, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
152x83x33.5mm
IP 65 opt.



A9073209
DATEC-MOBIL-BOX S, Vers. II
ABS (UL 94 HB)
black RAL 9005
152x83x33.5mm
IP 65 opt.



A9073307
DATEC-MOBIL-BOX S, Vers. III
ABS (UL 94 HB)
off-white RAL 9002
152x83x33.5mm
IP 65 opt.



A9073309
DATEC-MOBIL-BOX S, Vers. III
ABS (UL 94 HB)
black RAL 9005
152x83x33.5mm
IP 65 opt.



A9073407
DATEC-MOBIL-BOX S, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
152x83x33.5mm
IP 65 opt.



A9073409
DATEC-MOBIL-BOX S, Vers. IV
ABS (UL 94 HB)
black RAL 9005
152x83x33.5mm
IP 65 opt.



A9074107
DATEC-MOBIL-BOX M, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074109
DATEC-MOBIL-BOX M, Vers. I
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9074127
DATEC-MOBIL-BOX M, Vers. I, high
ABS (UL 94 HB)
off-white RAL 9002
195x101x59mm
IP 65 opt.



A9074129
DATEC-MOBIL-BOX M, Vers. I, high
ABS (UL 94 HB)
black RAL 9005
195x101x59mm
IP 65 opt.



A9074207
DATEC-MOBIL-BOX M, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.

A9160003

Plug-in contact, 1 x 9 V (PP3)



A9074209
DATEC-MOBIL-BOX M, Vers. II
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9074227
DATEC-MOBIL-BOX M, Vers. II, high
ABS (UL 94 HB)
off-white RAL 9002
195x101x59mm
IP 65 opt.



A9074229
DATEC-MOBIL-BOX M, Vers. II, high
ABS (UL 94 HB)
black RAL 9005
195x101x59mm
IP 65 opt.



A9074307
DATEC-MOBIL-BOX M, Vers. III
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074309
DATEC-MOBIL-BOX M, Vers. III
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9074407
DATEC-MOBIL-BOX M, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074409
DATEC-MOBIL-BOX M, Vers. IV
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9075107
DATEC-MOBIL-BOX L, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
252x121x50mm
IP 65 opt.



A9075109
DATEC-MOBIL-BOX L, Vers. I
ABS (UL 94 HB)
black RAL 9005
252x121x50mm
IP 65 opt.



A9075207
DATEC-MOBIL-BOX L, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
252x121x50mm
IP 65 opt.



A9075209
DATEC-MOBIL-BOX L, Vers. II
ABS (UL 94 HB)
black RAL 9005
252x121x50mm
IP 65 opt.



A9076107
DATEC-CONTROL XS, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
200x94x39.5mm
IP 65 opt.



A9076109
DATEC-CONTROL XS, Vers. I
ABS (UL 94 HB)
black RAL 9005
200x94x39.5mm
IP 65 opt.



A9076157
SET: DATEC-CONTROL XS, Vers. I,station..
ABS (UL 94 HB)
off-white RAL 9002
200x94mm
IP 65 opt.



A9076159
SET: DATEC-CONTROL XS, Vers. I,station..
ABS (UL 94 HB)
black RAL 9005
200x94mm
IP 65 opt.



A9076207
DATEC-CONTROL XS, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
200x94x39.5mm
IP 65 opt.

A9160003

Plug-in contact, 1 x 9 V (PP3)



A9076209
DATEC-CONTROL XS, Vers. II
ABS (UL 94 HB)
black RAL 9005
200x94x40mm
IP 65 opt.



A9076257
SET: DATEC-CONTROL XS, Vers. II, station.
ABS (UL 94 HB)
off-white RAL 9002
200x94mm
IP 65 opt.



A9076259
SET: DATEC-CONTROL XS, Vers. II, station.
ABS (UL 94 HB)
black RAL 9005
200x94mm
IP 65 opt.



A9077107
DATEC-CONTROL S, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
228x117x47mm
IP 65 opt.



A9077109
DATEC-CONTROL S, Vers. I
ABS (UL 94 HB)
black RAL 9005
228x117x47mm
IP 65 opt.



A9077157
SET: DATEC-CONTROL S, Vers. I, station..
ABS (UL 94 HB)
off-white RAL 9002
228x117mm
IP 65 opt.



A9077159
SET: DATEC-CONTROL S, Vers. I, station..
ABS (UL 94 HB)
black RAL 9005
228x117mm
IP 65 opt.



A9077207
DATEC-CONTROL S, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
228x117x47mm
IP 65 opt.



A9077209
DATEC-CONTROL S, Vers. II
ABS (UL 94 HB)
black RAL 9005
228x117x47mm
IP 65 opt.



A9077257
SET: DATEC-CONTROL S, Vers. II, station..
ABS (UL 94 HB)
off-white RAL 9002
228x117mm
IP 65 opt.



A9077259
SET: DATEC-CONTROL S, Vers. II, station..
ABS (UL 94 HB)
black RAL 9005
228x117mm
IP 65 opt.



A9093107
DIATEC S
ABS (UL 94 HB)
off-white RAL 9002
210x48x200mm
IP 40

A9160003

Plug-in contact, 1 x 9 V (PP3)



A9093108
DIATEC S
ABS (UL 94 HB)
lava
210x48x200mm
IP 40



A9094107
DIATEC M
ABS (UL 94 HB)
off-white RAL 9002
270x48x200mm
IP 40



A9094108
DIATEC M
ABS (UL 94 HB)
lava
270x48x200mm
IP 40



A9095107
DIATEC L
ABS (UL 94 HB)
off-white RAL 9002
330x48x200mm
IP 40



A9095108
DIATEC L
ABS (UL 94 HB)
lava
330x48x200mm
IP 40



A9176128
Battery compartment XS, 2 x AA or 1 x 9V
ABS (UL 94 HB)



A9177310
Battery compartment, 1 x 9 V
ABS (UL 94 HB)



A9406332
SHELL-TYPE CASES G 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x33mm



A9406334
SHELL-TYPE CASES V 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x33mm



A9406342
SHELL-TYPE CASES G 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x45mm



A9406344
SHELL-TYPE CASES V 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x45mm



A9406352
SHELL-TYPE CASES G 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x33.5mm



A9408335
SHELL-TYPE CASES G 155, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
95x158x33mm



A9408336
SHELL-TYPE CASES V 155, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
95x158x33mm




A9408345
SHELL-TYPE CASES G 155, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
95x158x45mm




A9408346
SHELL-TYPE CASES V 155, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
95x158x45mm

A9160003


Plug-in contact, 1 x 9 V (PP3)




A9408355
SHELL-TYPE CASES G 155, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
95x158x33.5mm



A9408638
SHELL-TYPE CASES V 155, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
95x158x33mm



A9408648
SHELL-TYPE CASES V 155, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
95x158x45mm



A9408737
SHELL-TYPE CASES G 155, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
95x158x33mm



A9408747
SHELL-TYPE CASES G 155, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
95x158x45mm



A9408757
SHELL-TYPE CASES G 155, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
95x158x33.5mm



A9413638
SHELL-TYPE CASES V 190, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
138x190x45mm



A9413648
SHELL-TYPE CASES V 190, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
138x190x68mm



A9413737
SHELL-TYPE CASES G 190, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
138x190x45mm



A9413747
SHELL-TYPE CASES G 190, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
138x190x68mm



A9413757
SHELL-TYPE CASES G 190, Vers. V
ABS (UL 94 HB)
off-white RAL 9002
138x190x45.5mm



B7010107
ERGO-CASE M, flat
ABS (UL 94 HB)
off-white RAL 9002
150x100x40mm
IP 54 opt.



B7010109
ERGO-CASE M, flat
ABS (UL 94 HB)
black RAL 9005
150x100x40mm
IP 54 opt.



B7015107
ERGO-CASE M, high
ABS (UL 94 HB)
off-white RAL 9002
150x100x55mm
IP 54 opt.




B7015109
ERGO-CASE M, high
ABS (UL 94 HB)
black RAL 9005
150x100x55mm
IP 54 opt.



B7020107
ERGO-CASE L, flat
ABS (UL 94 HB)
off-white RAL 9002
150x200x54mm
IP 54 opt.

A9160003

Plug-in contact, 1 x 9 V (PP3)



B7020109
ERGO-CASE L, flat
ABS (UL 94 HB)
black RAL 9005
150x200x54mm
IP 54 opt.



B7020137
ERGO-CASE L, flat
ABS (UL 94 HB)
off-white RAL 9002
150x200x54mm
IP 40



B7020139
ERGO-CASE L, flat
ABS (UL 94 HB)
black RAL 9005
150x200x54mm
IP 40



B7020147
ERGO-CASE L, flat
ABS (UL 94 HB)
off-white RAL 9002
150x200x54mm
IP 40



B7020149
ERGO-CASE L, flat
ABS (UL 94 HB)
black RAL 9005
150x200x54mm
IP 40

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.