
Specifications

Eaton 112916

Catalog Number: 112916

Eaton xEffect CS LV systems Switch- & Controlgear Enclosure. Bottom plate, for width = 500mm, 1 flange aperture F3A



General specifications

Product Name	**Catalog Number**
Eaton xEffect CS bottom plate	112916
EAN	**Product Length/Depth**
4015081124541	175 mm
Product Height	**Product Width**
5 mm	500 mm
Product Weight	**Compliances**
0.75 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

Enclosure width = 500 mm

Special features

For flange F3A

With foamed gasket

Type

Accessory CS

Accessory/spare part type

Bottom plate

Surface finishing

Semi-textured

Color

Light gray (RAL 7035)

Gray

Degree of protection

IP66 (if used properly with F3A-… flanges)

Load capacity - max

0 kg

RAL-number

7035

Suitable for enclosure building height

700 mm

Suitable for enclosure building length/depth

250 mm

Suitable for enclosure building width

500 mm

Material

Steel plate

Metal

Model

Floor plate

Flange apertures

1

Functions

Not suitable for enclosure CS-…/150

Usable as a roof plate by turning the enclosure through 180°

Resources

Brochures

eaton-xeffect-cs-new-features-fl015002zu.pdf

Catalogs

eaton-xeffect-cs-enclosure-catalog-fk4300-1178gb-en-us.pdf

Certification reports

eaton-xeffect-cs-enclosure-declaration-of-conformity-en-us.pdf

Drawings

eaton-control-panels-housing-base-xeffect-cs-bottom-plate-dimensions-006.eps

eaton-control-panels-xeffect-cs-bottom-plate-3d-drawing.eps

Installation instructions

IL2524



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia