Your Expert Partner for **Human Machine Interfaces**

# Actuator

Distribution by
Rs-online

704.411.110KN



https://rs-online.eao.com/component/704.411.1...

Your product:



# 704.411.110KN
# Actuator

## FRONT

| | |
|---|---|
| **Front dimension:** | Ø 35 mm |
| **Front form:** | Round |
| **Front bezel colour:** | Black |
| **Front bezel material:** | Aluminium |

## MOUNTING

| | |
|---|---|
| **Design:** | Flush |
| **Mounting cut-out:** | Ø 30.5 mm |
| **Mounting type:** | Panel mounting |

## OPERATING-/INDICATION PART

| | |
|---|---|
| **Lever colour:** | Black |
| **Lever bar colour:** | White |
| **Lever material:** | plastic |
| **Lever shape:** | short |

## MECHANICAL CHARACTERISTICS

| | |
|---|---|
| **Weight:** | 0.038 kg |

## CERTIFICATE

| | |
|---|---|
| **REACH:** | REACH compliant |
| **RoHS:** | RoHS compliant |

## OTHER

**Short Description:** Actuator, Ø 30.5 mm, Ø 35 mm, non illuminative, Black, short, Round, Black, Aluminium, anodised

**Hints:** The colour of anodised aluminium parts can vary due to technical production reasons

**max. number of switching elements:** 1

**Mounting cut-outs:**




**Dimension drawings:**




1 = Kraus & Naimer switching element
A = (Number of stages x 12) + 66.5 mm
2 = Santon switching element
B = (Number of stages x 13.5) + 65.5 mm