Rittal – The System.

Faster – better – everywhere.



TS 4696.000

Support strip

State: 30/1/2023 (Source: rittal.com/in-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

TS 4696.000 - Support strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.





Features

Model No.	TS 4696.000
Product description	For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
Material	Sheet steel
Surface finish	Zinc-plated
Supply includes	Assembly parts
Length	540 mm
VX installation options	In enclosure width/depth 600 mm
VX SE installation options	In enclosure width/depth 600 mm, on the outer mounting level
AX installation options	In door width 600 mm, with cam lock In door width 600 mm, with 3-point lock system, in the hinged door
PC installation options	In enclosure width 600 mm, on the outer mounting level
WI installation options	In enclosure width/depth 600 mm, on the outer mounting level
TS installation options	In enclosure width/depth 600 mm, on the outer mounting level
AE installation options	In enclosure width/height 600 mm, in conjunction with rail for interior installation AE

© Rittal 2023

Features

TP installation options	In consoles for 3-part assembly, at the height of the enclosure cover, in conjunction with rail for interior installation for TP, compact enclosure HD
Technical specifications	4.5 mm diameter hole on a 25 mm pitch pattern
To fit	Enclosure type: VX TS VX SE TP PC IW AX AE Suitable for width or depth: 600 mm
Packs of	20 pc(s).
Weight/pack	5.56 kg
Copper weight (kg per piece)	0
Customs tariff number	73269098
EAN	4028177108158
ETIM 7.0	EC002620
ECLASS 8.0	27189261

Approvals

Approvals	GOST