Specifications

Eaton 215451



Catalog Number: 215451

Eaton xEffect Accessories LV systems Accessories and replacement parts for LV switchgear. Multiple gaskets for cable glands V-M..., Cable entry M25, 4x 5-6mm

General specifications

Product Name
Eaton xEffect Accessories LV systems Accessories and replacement parts for LV switchgear

Catalog Number
215451

EAN
4015082154516

Product Length/Depth
20 mm

Product Height
10 mm

Product Width
20 mm

Product Weight
0.002 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

H03VV-F 0.75 mm² (2x) or 0.75 mm² (3x)

Type

General switchboard accessory

Inside diameter

6 mm

Thickness

10 mm

Cable entry type

M25

Color

Black, similar to RAL 9005

Degree of protection

IP66

Accessory/spare part type

Multiple gaskets
Cable management

Material quality

Polyamide (PA)

Material

Plastic
thermoplastic elastomer

Outer cable diameter

4 x (5 - 6) mm

Nominal diameter

0 mm

Operating temperature - max

100 °C

Operating temperature - min

-25 °C

Nominal size in inch

Other

Temperature resistance

Temperature resistant: -25 °C - 100 °C, short-time up to approx.
120 °C

Thread type

Resources

Catalogs

eaton-xeffect-cs-enclosure-catalog-fk4300-1178gb-en-us.pdf

eaton-panel-building-accessories-catalog-ca008008en-en-us.pdf

Drawings

eaton-totally-insulated-boards-dimensions-4610dim-16.eps

461I047

Metric

Pitch thread

0 in

Nominal thread size inch/gas pipe thread

Other

Nominal thread size metric/PG

25

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia