Specifications

Eaton 288792



Catalog Number: 288792

Eaton xEffect SASY 60i Enclosures Switch- & Controlgear Enclosure. Dual adapter, 6-72

General specifications

Product Name	**Catalog Number**
Eaton xEffect SASY 60i MCB adapter	288792
EAN	**Product Length/Depth**
4015082887926	182 mm
Product Height	**Product Width**
80 mm	74 mm
Product Weight	**Compliances**
0.46 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

30 x 5/10 mm
12 x 5/10 mm
15 x 5/10 mm
20 x 5/10 mm
25 x 5/10 mm
Suitable for 5 and 10 mm busbar and double T thickness.
Double T profile
60 mm system
Busbar dual adapters for modular installation devices

Special features

Dual adapter (six 6 mm² connection cables), 2 mounting rails
Mounted by latching onto de-energized busbar

Type

60 mm system
Busbar dual adapters for modular installation devices

Adapter width

72 mm

Busbar adapter width

72 mm

Busbar distance

60 mm

Busbar thickness - max

10 mm

Busbar thickness - min

5 mm

Nominal current

35 A

Number of DIN rails

2

Rail width

30 mm

Voltage rating at AC

Resources

Brochures

eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf

Catalogs

Product Range Catalog Switching and protecting motors

eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf

Certification reports

eaton-xeffect-sasy-60i-declaration-of-conformity.pdf

Declarations of conformity

DA-DC-03_Z-S

DA-DC-03_Z-S_SC_SB

Drawings

eaton-control-panels-xeffect-sasy-dual-adapter-dimensions.eps

eaton-control-panels-xeffect-sasy-dual-adapter-3d-drawing.eps

690 V AC

Electric connection type

3 conductors AWG 10

Functions

Busbar dual adapters for modular installation devices

Dual adapter

Mounting rail armament

2 mounting rails

Rated operation current (Ie)

35 A

Suitable for

Mounting on flat copper busbars with 60 mm interval between busbar centres

Terminal capacity

6 mm²

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia