PRODUCT-DETAILS

# YO XT5-XT6 24...60 Vac/dc

YO XT5-XT6 24...60 Vac/dc



## General Information

| | |
|---|---|
| Extended Product Type | YO XT5-XT6 24...60 Vac/dc |
| Product ID | 1SDA104925R1 |
| EAN | 8015644070175 |
| Catalog Description | YO XT5-XT6 24...60 Vac/dc |
| Long Description | SHUNT OPENING RELEASE FOR PERMANENT SERVICE 24...60V AC-DC XT5-XT6 |

## Ordering

| | |
|---|---|
| EAN | 8015644070175 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

## Dimensions

| | |
|---|---|
| Product Net Width | 110 mm |
| Product Net Height | 60 mm |
| Product Net Depth / Length | 140 mm |
| Product Net Weight | 0.12 kg |

## Container Information

| | |
|---|---|
| Package Level 1 Units | 1 piece |

| | |
|---|---|
| Package Level 1 Width | 110 mm |
| Package Level 1 Height | 60 mm |
| Package Level 1 Depth / Length | 140 mm |
| Package Level 1 Gross Weight | 0.15 kg |
| Package Level 1 EAN | 8015644070175 |

## Environmental

| | |
|---|---|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

## Additional Information

| | |
|---|---|
| Configuration Type | Loose or configurable |
| Current Type | AC/DC |
| Order Multiple | 1 piece |
| Product Main Type | Accessories for Tmax XT |
| Product Name | Accessory |
| Product Type | ACC |
| Rated Voltage ($U_r$) | 24...60 V AC<br>24...60 V DC |
| Standards | IEC, UL |
| Suitable For | XT5<br>XT6 |
| Suitable for Product Class | SACE Tamx XT |

## Certificates and Declarations (Document Number)

| | |
|---|---|
| Data Sheet, Technical Information | 1SDC210100D0206<br>1SDC210200D0206 |
| Instructions and Manuals | 1SDH002011A1511 |

## Classifications

| | |
|---|---|
| ETIM 6 | EC002483 - Switch spool for power circuit breaker |
| ETIM 7 | EC002483 - Switch spool for power circuit breaker |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

