Specifications

Eaton LP-CC-1

Catalog Number: LP-CC-1

Eaton Bussmann Series Class CC fuse, LP-CC, time-delay, dual-element current limiting fuse, 1 A, rejection style fuse, interrupting rating of 200 kA at 600 Vac and 20 kA at 300 Vdc



General specifications

Product Name	**Catalog Number**
Eaton Bussmann series LP-CC fuse	LP-CC-1
UPC	**EAN**
051712180436	5027590446914
Product Length/Depth	**Product Height**
0.41 in	1.5 in
Product Width	**Product Weight**
0.41 in	0.15 lb
Warranty	**Compliances**
Not Applicable	CE Marked RoHS Compliant

Powering Business Worldwide

Product specifications

Type

Current-limiting time-delay fuse

Special features

Non-indicating

Application

Specialized circuits and industrial control

Amperage Rating

1 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC at 600 Vac

20 kAIC at 300 Vdc

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 300 Vdc

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LP-CC-1~LOW PEAK CC TIME DELAY

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-1

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia