Rittal – The System.

Faster – better – everywhere.

Switch housings Stainless steel – SM 2384.010

Date : Apr 27, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Switch housings Stainless steel – SM 2384.010

created: 27.04.2021 build on www.rittal.com/uk-en



Product description

Material:	Enclosure: Stainless steel 1.4301 (AISI 304) Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal
Surface finish:	Enclosure and cover: Brushed, grain 240
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4X
Supply includes:	Enclosure with cover Quick-release fastener including plastic bushes
Basic material:	Stainless steel

Product description

Dimensions:	Width: 100 mm Height: 100 mm Depth: 90 mm
Material thickness:	Enclosure: 1.25 mm Cover: 1.25 mm
No. of switch cut-outs Ø 22.5 mm:	1
Lock version:	Quick-release fastener including plastic bushes
Number of locks:	2

Packs of:	1 pc(s).
Weight/pack:	0.4 kg
EAN:	4028177529403
Customs tariff number:	94039010
ETIM 7.0:	EC000261
ETIM 6.0:	EC000261
eCl@ss 8.0/8.1:	27180101
eCl@ss 6.0/6.1:	27180101
Product description:	SM Switch housing, WHD: 100x100x90 mm, Stainless steel 1.4301, without mounting plate, 1 switch cut-out

Approvals

Approvals:	RRR
Certificates:	EAC NA
Declarations:	Declaration of conformity