Specifications

# Eaton 065366



## Catalog Number: 065366

Eaton xEnergy Safety Ci LV systems LV switchgear. Busbar support, for CI enclosure 375mm, 3x hxd=40x10mm

### General specifications

**Product Name**
Eaton xEnergy Safety Ci busbar enclosure accessory

**Catalog Number**
065366

**EAN**
4015080653660

**Product Length/Depth**
15 mm

**Product Height**
100 mm

**Product Width**
375 mm

**Product Weight**
0.253 kg

**Compliances**
RoHS conform

Powering Business Worldwide

## Product specifications

### Used with

CI44…
L1, L2, L3: 3 x 40 x 10
CI45…
CI48…
Prepared enclosures
xEnergy Safety Ci
Accessory for busbar enclosures

### Special features

Component mounting possible on busbar
Interval between busbar supports max. 375 mm

### Type

Accessory for busbar enclosures
Prepared enclosures
xEnergy Safety Ci

### Accessory/spare part type

Busbar support

### Current rating - max

1600 A

### Busbar distance

50 mm

### Number of poles

Three-pole

### Distance between busbar centers

50 mm

### Functions

Prepared enclosure
For use between two enclosures

### Rated operation current (Ie)

1600 A

### Suitable for

Use between two enclosures

## Resources

### Brochures

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

### Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

### System overview

eaton-insulated-boards-busbar-xenergy-safety-ci-busbar-support-explosion-drawing-004.eps




Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia