Specifications

Eaton 264243



Catalog Number: 264243

Eaton Moeller® series Rapid Link Entry, flat cable, for enclosures

General specifications

Product Name
Eaton Moeller® series Rapid Link Accessory Accomplishment

Catalog Number
264243

EAN
4015082642433

Product Length/Depth
65 mm

Product Height
20 mm

Product Width
45 mm

Product Weight
0.033 kg

Compliances
CE

Powering Business Worldwide

Product specifications

Features

Watertight

Halogen free

Thread size

0

Bore diameter

0 mm

For wall thickness - max

0 mm

For wall thickness - min

0 mm

Number of cables - max

1

Number of cables - min

1

Operating temperature - max

55 °C

Operating temperature - min

-10 °C

Suitable for cable diameter - max

0 mm

Suitable for cable diameter - min

0 mm

Product category

Power supply

Thread size (PG)

0

Cable entry type

Long-slot

Color

Black

Degree of protection

IP65

Surface protection

Untreated

Resources

Application notes

Generation change from RA-SP to RASP 4.0

Generation Change RA-SP to RASP5

Connecting drives to generator supplies

Configuration to Rockwell PLC for Rapid Link

Generation change from RA-MO to RAMO 4.0

Electromagnetic compatibility (EMC)

Generation change RAMO4 to RAMO5

Generation Change RASP4 to RASP5

Brochures

eaton-rapid-link-5-brochure-br040014en-en-us.pdf

eaton-powerxl-variable-frequency-drives-material-handling-brochure-br040017en-en-us.pdf

Catalogs

Product Range Catalog Drives Engineering

Drawings

eaton-bus-adapter-knockout-rapidlink-accomplishment-3d-drawing.eps

Installation videos

Rapid Link 5

Manuals and user guides

MN03406003Z_EN

Material quality

Polyvinyl chloride (PVC)

Material

Plastic

Model

Other

Functions

For bushing for flat cable in distributor module or control cabinet

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia