Multi Battery LED Hybrid work light 10050 MH, 12500lm, IP54



Technical data

Product number:	1173700001
EAN:	4007123681341
Luminous flux:	12,500 lm
Power consumption:	100 W
Luminous efficacy:	125 lm/W
Energy efficiency class:	E

Colour temperature:	6,500 K
Colour rendering index CRI:	80
Min.-Max. Nominal input voltage:	220V - 240V
Lifetime:	30,000 h
Cable length:	5 m
Cable designation:	H07RN-F 2X1,0
Battery voltage:	18 V
With socket outlet:	No
Impact strength:	IK08
Protection class:	II
Degree of protection (IP):	IP54
Colour:	black, grey

Product texts

Maximum flexibility. Full compatibility with leading battery technologies.

* Compatible with various 18V batteries (different Ah classes) from the 7 power tool manufacturers: Bosch Professional, Dewalt, Festool, Flex, Makita, Metabo CAS, Milwaukee.
* Work lamps including interface adapters for named manufacturers.
* brennenstuhl® is part of AMPShare - Powered by Bosch Professional: The AMPShare battery alliance enables the use of Brennenstuhl work lamps with the 18V rechargeable batteries from Bosch Professional.
* More flexibility through hybrid technology: battery and mains operation possible, automatic switchover from mains to battery in the event of a power failure.
* Hybrid work spotlight with plug-in cable connection, 5m detachable cable H07RN-F2X1.0.
* With 4 switching levels (100% - 75% - 50% - 25%), direct full power when switched on.
* Light duration depending on the battery used 12 min per Ah.
* Battery status display for the remaining energy of the battery used, the batteries are to be charged externally.
* Protection system for Powertool batteries: The batteries used are protected against deep discharge and overheating (caused by high load currents).
* Removable battery protection cover.
* LED spotlight with tilt protection, protects working light and spotlight housing.
* Sturdy housing for safe use.
* Ergonomic handle.
* With on/off switch.
* Tripod mounting possible.
* Category 2 (K2) equipment: Use for rough operation with high mechanical, physical and chemical effects.

Scope of supply

Multi Battery LED Hybrid work light 10050 MH, 6 interface adapters, bag for adapters, 5m detachable cable H07RN-F2X1.0