

## 8740 B HF 1 Zyklop bit socket set with holding function, 3/8" drive, 7 pieces

Zyklop Accessories, 3/8"



<b>EAN:</b>	4013288195050	<b>Size:</b>	155x135x48 mm
<b>Part number:</b>	05003180001	<b>Weight:</b>	669 g
<b>Article number:</b>	8740 B HF 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Bit sockets with retaining function for hexagon socket screws
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size
- Knurling on lower end for more grip when used manually.
- Chrome vanadium steel, matt chrome-plated

Bit socket with 3/8" drive and holding function for particularly comfortable screwdriving with reduced risk of losing the screw when feeding it into the workpiece. With Take it easy tool finder with colour coding by size - for quick and easy identification of the required tool .

### Web link

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_3\\_8\\_zyklop\\_accessories\\_3\\_8\\_8740\\_b\\_hf\\_1.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_3_8_zyklop_accessories_3_8_8740_b_hf_1.html)

Wera - 8740 B HF 1  
05003180001 - 4013288195050

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Zyklop Accessories, 3/8"

Bit sockets with retaining function for hexagon socket screws



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw.

Zyklop Accessories



We did not just want our creativity to end with the ratchets themselves so we also occupied ourselves intensively with ratchet accessories. That is why our users are now provided with an extension with freely spinning sleeve and flexible lock to enable more secure and more rapid screwdriving. The sockets have been completely redesigned: we wanted to spare the user the need of having two different series - one for manual and the other for power tool applications. And: we wanted to enormously simplify the task of finding the right sizes. Technically, our own ambitious goals represented a real challenge: to endow sockets with the advantage of the holding function on screwdrivers and bits. We succeeded in this!

Manual and machine sockets



The manual and machine sockets can be used both for hand and power tools use (non-impact). Users need just one socket set for all applications.

Web link

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_3\\_8\\_zyklop\\_accessories\\_3\\_8\\_8740\\_b\\_hf\\_1.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_3_8_zyklop_accessories_3_8_8740_b_hf_1.html)

Wera - 8740 B HF 1  
05003180001 - 4013288195050

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## 8740 B HF 1 Zyklus bit socket set with holding function, 3/8" drive, 7 pieces

### Zyklus Accessories, 3/8"



#### Set contents:


#### 8740 B HF Zyklus bit socket with holding function, 3/8" drive, 4 x 107 mm



05003032001	1x	4 x 107 mm
05003034001	1x	5 x 107 mm
05003036001	1x	6 x 107 mm
05003038001	1x	7 x 100 mm
05003040001	1x	8 x 100 mm
05003042001	1x	9 x 100 mm
05003044001	1x	10 x 100 mm

#### Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



#### Web link

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklus\\_ratchets\\_the\\_zyklus\\_ratchets\\_3\\_8\\_zyklus\\_accessories\\_3\\_8\\_8740\\_b\\_hf\\_1.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklus_ratchets_the_zyklus_ratchets_3_8_zyklus_accessories_3_8_8740_b_hf_1.html)

Wera - 8740 B HF 1  
05003180001 - 4013288195050

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)