

**7880 Joker XXL Self-setting insert spanner for wrench sizes 24-32 mm, 14x18mm,
14x18 x 24-32 x 15/16-1 1/4" x 113.5 mm**
Insert tools self-setting Joker spanners



EAN:	4013288229380	Size:	92x59x19 mm
Part number:	05020173001	Weight:	441 g
Article number:	7880 Joker XXL	Country of origin:	CZ
		Customs tariff number:	82041200

- Square head insert tool 14x18 mm
- For torque wrenches from the Click-Torque X series with 14x18 mm mounting
- For hexagon screw heads and bolts with wrench sizes 24.0; 27.0; 30.0; 32.0 (metric)
- For hexagon screw heads and bolts with wrench sizes 15/16"; 31/32"; 1"; 1 1/16"; 1 1/8"; 1 3/16"; 1 1/4" (imperial)
- Automatically and continuously gripping hexagonal screws and bolts
- Lever mechanism upon gripping prevents slipping and damage
- With mechanical ratchet functionality for fast and consistent screwdriving without removing the spanner
- Return angle of only 30° when using the corner-width rectangular prisms in the jaw

Self-setting insert spanner, for hexagon screw heads and bolts, for torque wrenches from the Click-Torque X and XP series with 14x18 mm mounting. Covers all metric and imperial dimensions in the respective field of application. With its continuous and parallel jaws, the tool replaces several single spanner sizes. The required size is automatically and continuously set when attaching the tool to the hexagon bolt or screw. The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slippage or damage. The ratchet feature ensures fast and consistent screwdriving without removing the tool. By using the corner-width rectangular prisms, a return angle of only 30° can be achieved.

Web link
<https://www.wera.de/en/05020173001>

Wera - 7880 Joker XXL
05020173001 - 4013288229380

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

**Simple and error-free
determination of the torque
value**



Click-Torque X 7 torque wrench
with mounting for exchangeable
insert tools 14x18 mm




The laser-engraved, abrasion-proof QR code makes it easier to determine the correct torque value depending on the torque wrench and insert tool used. Simply scan with your smartphone or tablet (if available, both QR codes: torque wrench and insert tool). A website opens automatically which recognizes the scanned tools (no app needed!). Then enter the required torque value; the corrected value is determined automatically. No need to use formulas/calculations.

Drive 14x18 mm




For torque wrenches from the
Click-Torque X series with 14x18
mm mounting.

**Automatically and continuously
self-setting**



With its automatically and continuously gripping parallel jaws, the 7880 Joker covers all dimensions within the potential operative range. The tool finds the required size by itself when attaching it to the bolt or screw.

Joker 7880: gentle to the screw



The parallel, smooth jaws of the 7880 Joker offer a seating stress and can thus prevent the nut or screw head from rounding, which can occur when power is transmitted over corners.

**Joker 7880: ratchet mechanism
for quick working**



The ratchet feature in the jaw ensures fast and consistent screwdriving without removing the tool.

Joker 7880: low return angle



The corner-width rectangular prisms in the jaw allow a return angle of only 30°.

With pin lock




Safe working and rapid tool change thanks to the pin lock of the insert tools.

7880 Joker XXL Self-setting insert spanner for wrench sizes 24-32 mm, 14x18mm,
 14x18 x 24-32 x 15/16-1 1/4" x 113.5 mm
 Insert tools self-setting Joker spanners



Further versions in this product family:

								
	mm	mm	mm	mm	inch	mm	mm	mm
05020173001	14x18	24-32	24.0	62.2	15/16"-1 1/4"	15/16" 31/32" 1" 1 1/16" 1 1/8" 1 3/16" 1 1/4"	62.2 63.9 65.4 66.4 69.5 70.1 70.2	113.5

Web link
<https://www.wera.de/en/05020173001>

Wera - 7880 Joker XXL
 05020173001 - 4013288229380

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de