

L-Keys for Hexagon Socket Screws



EAN:	4013288182593	Size:	255x110x40 mm
Part number:	05022639001	Weight:	782 g
Article number:	950/9 Hex-Plus Multicolour Imperial 1	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant size marking
- With sturdy roll-pouch for tool protection and easy carrying.

L-keys with plastic sleeve (SPKL) made of circular, easy-grip material. The sleeve makes working comfortable even at low temperatures and is easy on the fingers. All L-keys are easily accessible due to their colour coding and size markings. The wear-free material of the clip guarantees easy removal and a secure hold of the L-keys. For hexagonal socket screws.

L-keys with a thermoplastic sleeve



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.



Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_imperial_1.html

Wera - 950/9 Hex-Plus Multicolour Imperial 1
05022639001 - 4013288182593

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_imperial_1.html

Wera - 950/9 Hex-Plus Multicolour Imperial 1
05022639001 - 4013288182593

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser, 9 pieces

L-Keys for Hexagon Socket Screws



Set contents:

950 SPKL L-key Multicolour, Imperial, 5/64" x 101 mm



05022630001	1x	5/64" x 101 mm
05022631001	1x	3/32" x 112 mm
05022632001	1x	1/8" x 123 mm
05022633001	1x	5/32" x 137 mm
05022634001	1x	3/16" x 154 mm
05022635001	1x	7/32" x 172 mm
05022636001	1x	1/4" x 185 mm
05022637001	1x	5/16" x 195 mm
05022638001	1x	3/8" x 224 mm

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_imperial_1.html

Wera - 950/9 Hex-Plus Multicolour Imperial 1
05022639001 - 4013288182593

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de