



<b>EAN:</b>	4013288104953	<b>Size:</b>	139x72x25 mm
<b>Part number:</b>	05024244001	<b>Weight:</b>	195 g
<b>Article number:</b>	967/9 TX HF 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- L-keys for recessed TORX® screws
- With holding function (HF) on the long arm to securely hold the screw on the tool
- BlackLaser for high corrosion protection and long service life
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant clip material for enhanced durability

High quality L-key set for recessed TORX® screws. The holding function on the long arm keeps screws securely on the tool. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys. Come in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_967\\_9\\_tx\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_hf_1.html)

Wera - 967/9 TX HF 1  
05024244001 - 4013288104953

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for TORX® Screws

### TORX® HF profile



In tight assembly or disassembly situations, for example in engine compartments, it is not possible to securely hold the screw with the hand on the screwdriver, and the screw subsequently often gets lost. Lengthy searches or the loss of the screw (with the associated danger that could bring about) are the consequence. The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that the screw is securely held on the tool!

### Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

### Surface protection



L-keys with BlackLaser surface treatment for outstanding surface protection and long service life. High corrosion protection.

### Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_967\\_9\\_tx\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_hf_1.html)

Wera - 967/9 TX HF 1  
05024244001 - 4013288104953

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## 967/9 TX HF 1 L-key set with holding function, BlackLaser, 9 pieces

### L-Keys for TORX® Screws



#### Set contents:

#### 967 L TORX® HF L-key with holding function, BlackLaser, TX 8 x 76 mm



05024160001	1x	TX 8 x 76 mm
05024161001	1x	TX 9 x 79 mm
05024162001	1x	TX 10 x 85 mm
05024163001	1x	TX 15 x 90 mm
05024164001	1x	TX 20 x 96 mm
05024165001	1x	TX 25 x 104 mm
05024166001	1x	TX 27 x 112 mm
05024167001	1x	TX 30 x 122 mm
05024168001	1x	TX 40 x 132 mm

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_torx\\_screws\\_967\\_9\\_tx\\_hf\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_torx_screws_967_9_tx_hf_1.html)

Wera - 967/9 TX HF 1

05024244001 - 4013288104953

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)