**ESD Series** 















Part number: 05030180001 Weight: 341 g CZArticle number: 1550/6 ESD Country of origin:

> **Customs tariff** 82054000

number:

• ESD-safe tool thanks to surface resistance of  $\leq 10 < \text{sup} > 9 < / \text{sup} > 0 \text{hm}$ 

- The fast-turning zone just below the rotating cap allows rapid spinning.
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Multi-component Kraftform Micro handles for fast and ergonomic screwdriving
- Includes practical rack for tidy storage of the screwdrivers

ESD-safe Wera Micro screwdriver set. Dependable protection against electrostatic energy and associated damage. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below. This makes time-consuming grip adjustments unnecessary. Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work. The Black Point tip offers optimised corrosion protection and an exact fit.

















#### **ESD Series**



### Wera ESD Tools



When doing screwdriving jobs on electronic components (like e.g. smartphones and tablet PCs), there should be no electrostatic discharge as this could cause malfunctions and a complete failure. Therefore, tools that are secure against electrostatic discharge are indispensable.




The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

# **High protection**




The electric surface resistance of the Wera ESD material is ≤ 10<sup>9</sup> ohm. This securely protects components against electrostatic energy and associated damage.

# The precision zone



The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

# The power zone



The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

# The fast-turning zone



The fast-turning zone just below the rotating cap allows rapid spinning.

## Rotating cap and fast-turning zone



The fast-turning zone just below the rotating cap allow rapid twisting. This makes timeconsuming grip adjustments as with other conventional precision screwdrivers unnecessary.

# Take it easy Tool Finder



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

Web link https://products.wera.de/en/screwdrivers\_esd\_series\_1550\_6\_esd.html

# 1550/6 ESD Screwdriver set and rack for electronic applications, 6 pieces

#### **ESD Series**



### Set contents:

# 1550 PH ESD Kraftform Micro screwdriver for Phillips screws, PH 000 x 40 mm

05030117001<sup>1),2)</sup> 1x PH 000 x 40 mm 05030118001<sup>1),2)</sup> 1x PH 00 x 40 mm 05030119001<sup>3)</sup> 1x PH 0 x 40 mm

1) Optimised for Asian PH screws

1578 A ESD Kraftform Micro screwdriver for slotted screws, 0.35 x 2.5 x 40 mm
05030108001 1x 0.35 x 2.5 x 40 mm

# 1567 IPR TORX PLUS® ESD Kraftform Micro screwdriver, 1 IPR x 40 mm

05030135001<sup>1)</sup> 1x 1 IPR x 40 mm
1) Without bore hole

# 1572 ESD Kraftform Micro screwdriver for Microstix® screws, m x 40 mm

05030080001 1x m x 40 mm

Web link https://products.wera.de/en/screwdrivers\_esd\_series\_1550\_6\_esd.html

Wera - 1550/6 ESD 05030180001 - 4013288194787

<sup>2)</sup> On the output side, the blade is turned to a nominal length of 10 mm 3) Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)