

Kraftform Kompakt 62, 33 pieces

Kraftform Kompakt 60, 62



EAN: 4013288096302

Part number: 05059297001

Article number: KK 62

Size: 150x130x60 mm

Weight: 824 g

Country of origin: CZ

Customs tariff number: 82079030

- Pouch with 89 mm-long bits
- Kraftform holder with Rapidaptor quick-release chuck
- Rapidaptor quick-release chuck allows rapid bit change
- Tough viscous bits for universal use
- Suitable for manual and power tool operations

Pouch with 89-mm long bits. Includes 816 R Kraftform holder with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Suitable for manual and power tool operations; 33-piece.



Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_without_ratchet_functionality_kraftform_kompakt_60_62_kk_62.html

Wera - KK 62

05059297001 - 4013288096302

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

For fixed workplace locations and external sites




Frequently, users have to work with their tools at a fixed workplace location as well as at external sites. Just as frequently, it is only on site that a decision is taken as to whether to work manually or with a power tool. The Kraftform Kompakt tool sets equip the user for both types of operation with just single set. Additionally, the sets are kept in belt pouches or plastic cases. This keeps them secure and clean and means that they are clearly arranged for easy tool selection, something that is very practical when they are to be used or transported.

Handle/interchangeable blade system



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

Manual and power tool operations



The sets come with a Kraftform handle, quick-release chuck and bits for manual and power tool operations.

Chuck-all



The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_without_ratchet_functionality_kraftform_kompakt_60_62_kk_62.html

Wera - KK 62

05059297001 - 4013288096302

Wera Werkzeuge GmbH
Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

Hex-Plus




Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

The TRI-WING® screwdriving system




The TRI-WING® screwdriving system is mainly found in aviation and household technology (here e.g. on live components). The asymmetric arrangement of the three profile flanks prevents the use of anything other than the original tools. The high-precision Wera profile design ensures a secure fit of the tool in the head of the screw. The blades are manufactured out of bit material. The Wera know-how with regard to the hardening technology ensures a long service life of the tool.

TORQ-SET® Mplus



Wera developed the Mplus profile with stronger flanks compared with tools with a conventional TORQ-SET® profile. This results in approximately 70 % extra torsional strength and greatly extends the service life of Wera Mplus tools.

Storage and transport



The tools can be stored and carried either in a solid plastic case or a robust pouch. In this way the tool is always to hand.

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_without_ratchet_functionality_kraftform_kompakt_60_62_kk_62.html

Wera - KK 62
05059297001 - 4013288096302

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt 62, 33 pieces

Kraftform Kompakt 60, 62

Set contents:

816 R Bitholding screwdriver with Rapidaptor quick-release chuck, 1/4" x 119 mm



05051462001

1x 1/4" x 119 mm



851/4 Z bits, PH 1 x 89 mm



05059760001

1x PH 1 x 89 mm

05059775001

1x PH 2 x 89 mm

05059795001¹⁾

1x PH 3 x 89 mm

1) Pound-thru hexagonal

855/4 Z bits, PZ 1 x 89 mm



05060029001

1x PZ 1 x 89 mm

05060035001

1x PZ 2 x 89 mm

05060043001¹⁾

1x PZ 3 x 89 mm

1) Pound-thru hexagonal

867/4 Z TORX® B0 bits with bore hole, TX 8 x 89 mm



05060048001

1x TX 8 x 89 mm

05060050001

1x TX 10 x 89 mm

05060051001

1x TX 15 x 89 mm

05060052001

1x TX 20 x 89 mm

05060053001

1x TX 25 x 89 mm

05060054001

1x TX 30 x 89 mm

05060056001

1x TX 40 x 89 mm

05060057001

1x TX 27 x 89 mm

840/4 Z Tamper-proof Hex-Plus B0 bits, 2 x 89 mm



05059640001

1x 2 x 89 mm

05059641001

1x 2.5 x 89 mm

05059642001

1x 3 x 89 mm

05059643001

1x 4 x 89 mm

05059644001

1x 5 x 89 mm

05059645001

1x 6 x 89 mm

800/4 Z bits, 1.2 x 6.5 x 89 mm



05059490001

1x 1.2 x 6.5 x 89 mm

871/4 TORQ-SET® Mplus bits, 10 x 89 mm



05066682001

1x 10 x 89 mm

05066686001

1x 6 x 89 mm

05066687001

1x 8 x 89 mm

875/4 TRI-WING® bits, 1 x 89 mm



05066785001

1x 1 x 89 mm

05066786001

1x 2 x 89 mm

05066787001

1x 3 x 89 mm

05066788001

1x 4 x 89 mm

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_without_ratchet_functionality_kraftform_kompakt_60_62_kk_62.html

Wera - KK 62

05059297001 - 4013288096302

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

Kraftform Kompakt 62, 33 pieces

Kraftform Kompakt 60, 62



857/4 Z Spanner bits, 4 x 89 mm



05057160001

05057161001

05057162001

05057163001

1x 4 x 89 mm

1x 6 x 89 mm

1x 8 x 89 mm

1x 10 x 89 mm

Hook and Loop Fastener Strip 70, 50 x 70 mm



1x 50 x 70 mm

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_without_ratchet_functionality_kraftform_kompakt_60_62_kk_62.html

Wera - KK 62

05059297001 - 4013288096302

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de