



|                        |                      |                               |              |
|------------------------|----------------------|-------------------------------|--------------|
| <b>EAN:</b>            | 4013288227997        | <b>Size:</b>                  | 175x94x16 mm |
| <b>Part number:</b>    | 05073631001          | <b>Weight:</b>                | 94 g         |
| <b>Article number:</b> | Bit-Check 6 SHK 1 SB | <b>Country of origin:</b>     | CZ           |
|                        |                      | <b>Customs tariff number:</b> | 82079030     |

- Included bits particularly suitable for HVAC applications
- Tough viscous bits for universal use
- The tough design of the bits prevents the tip from breaking prematurely
- Hex-Plus allows socket head screws to live longer
- 50 mm-long bits
- Upright positionable, multi-component Bit-Check
- Bit-Check plastic material ensures robustness and durability

6 Wera bits (50 mm length) neatly arranged in the smallest of spaces in the practical Bit-Check. Particularly suitable for plumbing, heating and air conditioning; Bit-Checks allow a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost. Easy transport e.g. in your shirt pocket. The tough bits are suitable for universal use.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_\\_bit-safes\\_universal\\_bit-check\\_6\\_shk\\_1\\_sb.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks__bit-safes_universal_bit-check_6_shk_1_sb.html)

Wera - Bit-Check 6 SHK 1 SB  
05073631001 - 4013288227997

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

For HVAC services (plumbing,  
heating and air conditioning)



The included bits are particularly suitable for HVAC applications.

At the workplace




The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

Hex-Plus



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Tough bits



Tough Wera bits prevent the tip from breaking prematurely. Z-bits usually are the bit for universal screwdriving applications.

Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_bit-safes\\_universal\\_bit-check\\_6\\_shk\\_1\\_sb.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_bit-safes_universal_bit-check_6_shk_1_sb.html)

Wera - Bit-Check 6 SHK 1 SB  
05073631001 - 4013288227997

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Check 6 SHK 1 SB, 6 pieces

### Bit-Checks / Bit-Safes Universal



#### Set contents:

##### 851/4 TZ bits, PH 1 x 50 mm



05059805001

1x PH 1 x 50 mm



##### 867/4 Z TORX® bits, TX 15 x 50 mm



05060133001

1x TX 15 x 50 mm

05060134001

1x TX 20 x 50 mm

05060135001

1x TX 25 x 50 mm



##### 840/4 Z bits, 5 x 50 mm



05059615001

1x 5 x 50 mm

05059620001<sup>1)</sup>

1x 6 x 50 mm



1) Pound-thru hexagonal

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_\\_bit-safes\\_universal\\_bit-check\\_6\\_shk\\_1\\_sb.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks__bit-safes_universal_bit-check_6_shk_1_sb.html)

Wera - Bit-Check 6 SHK 1 SB  
05073631001 - 4013288227997

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)