Bit Sets for Special Applications



















EAN: 4013288111654 **Size:** 140x115x45 mm

 Part number:
 05104652001
 Weight:
 265 g

 Article number:
 848/851/867/19
 Country of origin:
 CZ

Customs tariff 82079030

number:

- Ideal for mobile repair and assembly work
- Rapidaptor holder for rapid bit change
- 1/4" drive suitable for power screwdrivers
- Rapidaptor universal holder, metal twist drill bits and bits with 1/4" drive
- In practical and robust belt pouch

19-piece metal twist drill bit and bit set. High quality metal twist drill bits for precise drilling in metal. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability. Very good concentricity. The hexagonal shaft ensures very good power transfer. Tough viscous bits for universal use. Drive: ¼" hexagon, suitable for holders as per DIN ISO 1173-D 6.3. Includes robust belt pouch for secure storage.

Bit Sets for Special Applications







Twist drill bits for metal applications



drill bits for Twist metal applications1/4" drive suitable for holders as per DIN (ISO 3126-D 6.3 1173)Hexagon shaft for very high torque transferHSS high speed steel with cone pointFinely adjusted material elasticity for long service lifeExcellent concentricity Tough-absorbing tempered bits for particularly long service life

TZ-Bits



TZ-Bits are tough viscous bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

Tough bits



Tough Wera bits prevent the tip from breaking prematurely. Z-bits usually are the bit for universal screwdriving applications.

Rapidaptor holder



Lightning-fast bit change without any extra tools. One-handed operation. With fast-rotating sleeve for easy wielding of the screwdriver.

Chuck-all




The Rapidaptor quick-release chucks hold ¼" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit_sets_for_special_applications_848_851_867_19.html

Wera - 848/851/867/19 05104652001 - 4013288111654

848/851/867/19 Metal Twist Drill Bits and Bits Set, 19 pieces

Bit Sets for Special Applications



Set contents:

888/4/1 K Rapidaptor Universal Bit Holder, 1/4" x 50 mm $\,$



848 HSS Metal Twist Drill Bits, 3 x 38 mm

| 05104610001 | 1x | 3 x 38 mm |
|-------------|--|--|
| 05104613001 | 1x | 4 x 44 mm |
| 05104615001 | 1x | 4.2 x 45 mm |
| 05104616001 | 1x | 5 x 50 mm |
| 05104618001 | 1x | 6 x 50 mm |
| 05104620001 | 1x | 8 x 51 mm |
| | 05104613001 05104615001 05104616001 05104618001 | 05104613001 1x 05104615001 1x 05104616001 1x 05104618001 1x |

851/1 TZ bits, PH 1 x 25 mm

| • | 05056505001 | 2x | PH 1 x 25 mm |
|----------|-------------|----|--------------|
| | 05056510001 | 3x | PH 2 x 25 mm |
| M Wera | 05056525001 | 1x | PH 3 x 25 mm |

| 867/1 TORX® bits, TX | X 10 x 25 mm | | |
|----------------------|--------------|----|---------------|
| \Box | 05066485001 | 1x | TX 10 x 25 mm |
| | 05066486001 | 1x | TX 15 x 25 mm |
| H Wera | 05066487001 | 1x | TX 20 x 25 mm |
| | 05066488001 | 1x | TX 25 x 25 mm |
| | 05066490001 | 1x | TX 30 x 25 mm |
| | 05066491001 | 1x | TX 40 x 25 mm |

Web link

 $https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit_sets_for_special_applications_848_851_867_19.html$