

Safety Data Sheet

Page 1 of 8

SDS No.: 153486

V001.4

Date of issue: 05.02.2020

respiratory tract irritation

LOCTITE 290 WICKING GRADE THREADLOCKER

Section 1. Identification of the substance/preparation and of the company/undertaking

LOCTITE 290 WICKING GRADE THREADLOCKER **Product name:**

Intended use: Anaerobic Sealant

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379 **Emergency information:**

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class Hazard Category Target organ

Serious eye irritation Category 2A Category 3 Target Organ Systemic Toxicant -

Single exposure

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

Category 3

Category 3

Hazard pictogram:



Signal word: Warning SDS No.: 153486 V001.4

LOCTITE 290 WICKING GRADE THREADLOCKER

Hazard statement(s): H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/face protection.

Response: P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word:

HAZARDOUS

Section 3. Composition / information on ingredients

General chemical description: Mixture

Type of preparation: Anaerobic Sealant

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
α, α-dimethylbenzyl hydroperoxide	80-15-9	1-< 3 %
methyl methacrylate	80-62-6	< 1%

Section 4. First aid measures

Ingestion: Rinse mouth, do not induce vomiting, consult a doctor.

Rinse mouth, do not induce vomiting, consult a doctor.

Skin: Rinse with running water and soap.

If symptoms develop and persist, get medical attention.

Skin: Immediately remove soiled or soaked clothing.

For skin contact flush with large amounts of water.

Get immediate medical attention.

Eves: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical attention from a specialist.

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

Move to fresh air. Seek medical advice. SDS No.: 153486 Page 3 of 8

LOCTITE 290 WICKING GRADE THREADLOCKER V001.4

First Aid facilities: Eye wash

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically and supportively.

Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Improper extinguishing media: None known

Decomposition products in case of Oxides of carbon.

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released. Particular danger in case of fire:

In case of fire, keep containers cool with water spray.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Ensure adequate ventilation. See advice in section 8

Environmental precautions: Do not let product enter drains.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Section 7. Handling and storage

Use only in well-ventilated areas. Precautions for safe handling:

See advice in section 8

Wear suitable protective clothing, safety glasses and gloves.

Conditions for safe storage: Ensure good ventilation/extraction.

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

LOCTITE 290 WICKING GRADE THREADLOCKER

Section 8. Exposure controls / personal protection

National exposure standards:

Engineering controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to

control airborne contamination below occupational exposure limits.

Eye protection: Wear protective glasses.

Skin protection: Wear suitable protective clothing.

Use of Butyl or Nitrile Rubber gloves is recommended.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection: Use only in well-ventilated areas.

If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance: green liquid

Odor: mild Specific gravity: 1.07

Boiling point: > 150 °C (> 302 °F) **Flash point:** > 93.3 °C (> 199.94 °F)

(Tagliabue closed cup)

Vapor pressure: < 5 mm hg

(; 27.0 °C (80.6 °F))

Density: 1.07 g/cm3 **VOC content:** 2 %

(2010/75/EC)

Section 10. Stability and reactivity

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials.

Incompatible materials: Reaction with strong acids.

Reacts with strong oxidants.

Strong alkalis.

Strong reducing agents.

Hazardous decomposition

products:

Irritating and toxic gases or fumes may be released during a fire.

Oxides of carbon.

Hazardous polymerization: None under normal processing. Polymerization may occur at elevated temperature or in

the presence of incompatible materials.

Section 11. Toxicological information

SDS No.: 153486 V001.4

LOCTITE 290 WICKING GRADE THREADLOCKER

Health Effects:

Ingestion: Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea,

and diarrhea.

Skin: May cause mild skin irritation.

Eyes: Vapors irritate the eyes. Contact with liquid or mist will irritate the eyes.

Inhalation: Inhalation of vapors may cause moderate to severe respiratory tract irritation.

Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LD50	530 - 1,060			rat	other guideline:
80-15-9	Acute	mg/kg	dermal			Expert judgement
	toxicity	1,100 mg/kg	dermal			
	estimate					
	(ATE)					
methyl methacrylate	LD50	9,400 mg/kg	oral		rat	not specified
80-62-6	LC50	29.8 mg/l	inhalation	4 h	rat	not specified
	LD50	> 5,000 mg/kg	dermal		rabbit	not specified

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide	corrosive		rabbit	Draize Test
80-15-9				

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
methyl methacrylate 80-62-6	sensitising	Mouse local lymphnod	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
		e assay (LLNA)		

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α, α-dimethylbenzyl hydroperoxide 80-15-9	negative	dermal		mouse	not specified
methyl methacrylate 80-62-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9		inhalation: aerosol	6 h/d5 d/w	rat	not specified
methyl methacrylate 80-62-6	LOAEL=2000 ppm	inhalation	14 weeks6 hrs/day, 5 days/wk	mouse	Dose Range Finding Study
methyl methacrylate 80-62-6	NOAEL=1000 ppm	inhalation	14 weeks6 hrs/day, 5 days/wk	mouse	Dose Range Finding Study

Section 12. Ecological information

LOCTITE 290 WICKING GRADE THREADLOCKER

General ecological information:

Components of this product are hazardous to aquatic life., Do not empty into drains / surface water / ground water., Cured Loctite products are typical polymers and do not pose any immediate environmental hazards.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	18 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	ErC50	3.1 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC10	70 mg/l	Bacteria	30 min		not specified
methyl methacrylate 80-62-6	LC50	350 mg/l	Fish		Leuciscus idus	OECD Guideline 203 (Fish, Acute Toxicity Test)
methyl methacrylate 80-62-6	EC50	69 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
methyl methacrylate 80-62-6	EC50	170 mg/l	Algae	4 d	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
methyl methacrylate 80-62-6	NOEC	100 mg/l	Algae	4 d	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
methyl methacrylate 80-62-6	EC0	100 mg/l	Bacteria	30 min	suscapidia	not specified

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9		no data	0 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
methyl methacrylate 80-62-6	readily biodegradable	aerobic	95 %	EU Method C.4-B (Determination of the "Ready" BiodegradabilityModified OECD Screening Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
α, α-dimethylbenzyl		9.1		calculation		OECD Guideline 305
hydroperoxide						(Bioconcentration: Flow-
80-15-9						through Fish Test)
α, α-dimethylbenzyl	2.16					not specified
hydroperoxide						_
80-15-9						
methyl methacrylate	1.38					not specified
80-62-6						-

SDS No.: 153486 V001.4

LOCTITE 290 WICKING GRADE THREADLOCKER

Section 13. Disposal considerations

Waste disposal of product: Dispose of as hazardous waste in compliance with local and national regulations.

Cured adhesive: Dispose of as water insoluble non-toxic solid chemical in authorised

landfill or incinerate under controlled conditions.

Disposal for uncleaned package: Dispose of in accordance with local and national regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

None

ASCC - Australian Safety and Compensation Council

STEL - Short term exposure limit TWA - Time weighted average GHS: Globally Harmonized System

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

LD 50: Lethal Dose 50%

LC 50: Lethal Concentration 50%

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

Reason for issue: Reviewed MSDS. Reissued with new date. involved chapters: 1,2,15

Page 8 of 8

SDS No.: 153486 V001.4

LOCTITE 290 WICKING GRADE THREADLOCKER

Date of previous issue:

09.02.2015

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.