ThreeBond

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: JIS Z 7252:2019; JIS Z 7253:2019

> Revision date 25-Oct-2021 Revision date 30-Nov-2023 Revision Number 2

1. Identification

Product Name ThreeBond 1110F

Details of the supplier of the safety data sheet

Supplier

ThreeBond Fine Chemical Co., Ltd.

1-1 Oyama-cho, Midori-ku, Sagamihara-shi, Kanagawa 252-0146 Japan

Emergency telephone number

+81-42-703-7126 (Inquiries regarding SDS content)

+81-42-670-5333 (Inquiries regarding the product or SDS claim)

Recommended use of the chemical and restrictions on use

Recommended use Adhesive, Sealant

Restrictions on use Please be sure to confirm in advance the appropriateness and safety of using the product for the relevant application If the product is to be used for applications other than those recommended, please seek professional judgment This product is for industrial use and its use for household and medical implants is prohibited.

2. Hazard(s) identification

GHS Classification

<u>Grio ciassification</u>	
Acute toxicity - Oral	Classification not possible
Acute toxicity - Dermal	Classification not possible
Acute toxicity - Inhalation (Gases)	Classification not applicable
Acute toxicity - Inhalation (Vapors)	Classification not possible
Acute toxicity - Inhalation (Dusts/Mists)	Classification not possible
Skin corrosion/irritation	Classification not possible
Serious eye damage/eye irritation	Classification not possible
Respiratory sensitization	Classification not possible
Skin sensitization	Classification not possible
Germ cell mutagenicity	Classification not possible
Carcinogenicity	Classification not possible
Reproductive toxicity	Category 1A
Effects on or via lactation	Yes
Specific target organ toxicity (single exposure)	Classification not possible
Specific target organ toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible
Acute aquatic toxicity	Classification not possible
Chronic aquatic toxicity	Classification not possible
Ozone	Classification not possible

GHS label elements



Signal word **Hazard statements**

Danger

H360 - May damage fertility or the unborn child

H362 - May cause harm to breast-fed children

Precautionary statements

Prevention

- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Avoid contact during pregnancy and while nursing
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Obtain special instructions or technical data sheet before use

Response

• IF exposed or concerned: Get medical advice/attention

Storage

Store locked up

Disposal

• Dispose of contents/container to an approved waste disposal plant

Other hazards

May be harmful if swallowed.

3. Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical name	CAS No.	Weight-%	ENCS Number	ISHL No.
Toluene	108-88-3	0.1-<1	(3)-2,(3)-60	2-(8)-869
Cumene	98-82-8	0.1-<1	(3)-22	(3)-32,(3)-22
Noncrystalline silica	-	1-<5		
Methacrylic acid ester, Filler	-	90-<99		

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health Law

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Toluene	Toluene	108-88-3	
Cumene	Cumene	98-82-8	

Harmful Substances Whose Names Are to be Indicated on the Label

Article 57 of ISHL, Article 18, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

	Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Г	Toluene	Toluene	108-88-3	

Poisonous and Deleterious Substances Control Law

Not applicable

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

4. First-aid measures

General advice Show this safety data sheet to the doctor in attendance.

In case of inhalation Remove to fresh air.

In case of skin contact Wash skin with soap and water.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

In case of ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects,

acute and delayed

No information available.

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Special Extinguishing MediaCool container with water spray.

Special protective equipment and

precautions for fire-fighters

Use personal protection equipment.

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Other information CAUTION: Use of water spray when fighting fire may be inefficient.

6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures

Ensure adequate ventilation.

Environmental precautions See Section 12 for additional Ecological Information.

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Handling

Advice on safe handling Take equipment measures listed in Section 8. Wear protection gear. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

Hygiene Measures Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

Storage

Storage Conditions Store locked up.

8. Exposure controls/personal protection

Exposure guidelines

Chemical name	Japan Society of	ISHL Working	ACGIH TLV	Japan ISHA	Japan ISHA
	Occupational Health	Environmental		Workplace exposure	Workplace exposure
		Evaluation		limit - 8 hours	limit - Short time
		Standards -			
		Administrative			
		Control Levels			
Toluene	TWA: 50 ppm	20 ppm	Ototoxicant -	-	-
108-88-3	TWA: 188 mg/m ³		potential to cause		
	S*		hearing disorders		
			TWA: 20 ppm		
Cumene	TWA: 10 ppm	-	TWA: 5 ppm	10 ppm	-
98-82-8	TWA: 50 mg/m ³				
	S*				

Biological monitoring indicator

Chemical name	Japan Society of Occupational Health	ACGIH
Toluene	0.6 mg/L - blood (Toluene) - within 2 h	0.02 mg/L - blood (Toluene) - prior to
	prior to end of shift at end of work week	
	0.06 mg/L - urine (Toluene) - within 2 h	0.03 mg/L - urine (Toluene) - end of shift
	prior to end of shift at end of work week	0.3 mg/g creatinine - urine (o-Cresol with
		hydrolysis) - end of shift

Engineering controls Showers

Eyewash stations Ventilation systems.

Environmental exposure controls Install local ventilation or seal source of substances. Install safety shower, hand wash, and

eye wash station. Clearly indicate the location.

Personal protective equipment

Respiratory protection In case of inadequate ventilation wear respiratory protection. If workers are exposed to

> gases or vapors, consider wearing respiratory protective equipment (e.g., gas masks). When handling highly concentrated chemicals, consider wearing an air-supplied respirator.

When selecting a respirator, the following points should be considered.

-Do not use masks in areas where the oxygen concentration is less than 18%.

-When using a gas mask in an environment where workers are exposed to dust, use an

absorbent can with dustproof function.

-Select a gas mask with performance and construction suitable for the work in accordance with the Japanese Industrial Standard (JIS T8152), and refer to the data provided in the instruction manual.

Hand protection Wear suitable gloves. Consider wearing impervious protective gloves.

When selecting protective gloves, the following points should be considered.

-Referring to the impermeability class, etc. listed in the instruction manual, set a use time

that allows for the work, and use protective gloves within that time range.

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear suitable protective clothing. Skin and body protection

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Color White-Light yellow Odor Distinct odor

Remarks • Method Property Values

Melting point / freezing point no data available

Initial boiling point and boiling range

no data available **Flammability**

Upper/lower flammability or explosive limits

Upper flammability or explosive no data available

limits

no data available Lower flammability or explosive

limits

Flash point Not flammable Cleveland open cup

Evaporation rate no data available no data available **Autoignition temperature Decomposition temperature** no data available Hq no data available

Viscosity

Kinematic viscosity no data available

Dynamic viscosity 35 Pa·s Water solubility Slightly soluble no data available Solubility(ies) **Partition Coefficient** no data available

(n-octanol/water)

Vapor pressure no data available

Density and/or relative density

Relative density 1.08

Liquid Density no data available **Bulk density** no data available Relative vapor density no data available

Particle characteristics

Particle Size no data available **Particle Size Distribution** no data available

Other information

Page 5/9

Explosive properties no data available **Oxidizing properties** No data available

10. Stability and reactivity

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions React with strong acid. Could cause fire.

Conditions to avoid Direct sunlight. heating.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products May generate harmful gas by incineration.

11. Toxicological information

Acute toxicity

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3,150.40 mg/kg

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
Cumene	= 1400 mg/kg (Rat)	= 12300 μL/kg (Rabbit)	> 3577 ppm (Rat) 6 h

Abbreviations and acronyms

Rat: Rat Rabbit: Rabbit

Symptoms No information available.

Product Information

Ingestion Specific test data for the substance or mixture is not available.

Inhalation Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Carcinogenicity The hazardous substance(s) which is (are) any of the following substances and listed on

section 3 is (are) embedded in the product and not available as respirable dusts. When used

as intended or as supplied, the product will not pose hazards of the hazardous substance(s). Silica, Quartz, Carbon black, Titanium oxide, Crystalline silica.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Japan	IARC
Toluene 108-88-3	-	Group 3
Cumene 98-82-8	1B	Group 2B

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn

child. May cause harm to breast-fed children.

Target organ effects Eyes. Respiratory system.

STOT - single exposureThe following hazardous substance is embedded in the product and not available as

respirable dusts. When used as intended or as supplied, the product will not pose hazards

of the hazardous substance. Silica.

STOT - repeated exposureThe hazardous substance(s) which is (are) any of the following substances and listed on

section 3 is (are) embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards of the hazardous

substance(s). Silica, Quartz, Carbon black, Crystalline silica.

12. Ecological information

Ecotoxicity

Classification not possible. Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Chemical name Toluene	Algae/aquatic plants EC50: >433mg/L (96h, Pseudokirchneriella subcapitata) EC50: =12.5mg/L (72h, Pseudokirchneriella subcapitata)	Fish LC50: 15.22 - 19.05mg/L (96h, Pimephales promelas) LC50: =12.6mg/L (96h, Pimephales promelas) LC50: 5.89 - 7.81mg/L (96h, Oncorhynchus mykiss) LC50: 14.1 - 17.16mg/L (96h, Oncorhynchus mykiss)	
		LC50: =5.8mg/L (96h, Oncorhynchus mykiss) LC50: 11.0 - 15.0mg/L (96h, Lepomis macrochirus) LC50: =54mg/L (96h, Oryzias latipes)	

		LC50: =28.2mg/L (96h, Poecilia reticulata) LC50: 50.87 - 70.34mg/L (96h, Poecilia reticulata)	
Cumene	EC50: =2.6mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 6.04 - 6.61mg/L (96h, Pimephales promelas) LC50: =4.8mg/L (96h, Oncorhynchus mykiss) LC50: =2.7mg/L (96h, Oncorhynchus mykiss) LC50: =5.1mg/L (96h, Poecilia reticulata)	EC50: =0.6mg/L (48h, Daphnia magna) EC50: 7.9 - 14.1mg/L (48h, Daphnia magna)

Percentage for unknown hazards0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available.

Bioaccumulation

Component Information

Component information	
Chemical name	Partition coefficient
Toluene	2.73
108-88-3	
Cumene	3.55
98-82-8	

Mobility in soil No information available.

Hazardous to the ozone layer Classification not possible. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

13. Disposal considerations

Waste from residues/unused

products

Dispose of in accordance with national, state and local regulations. Consult industrial waste managent companies for waste. Do not release this product to natural environment nor

reclaim

Contaminated packaging Dispose containers as same as residual of this product.

14. Transport information

IMDG Not regulated

ADR Not regulated

IATA Not regulated

Japan Not regulated

15. Regulatory information

National regulations

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health Law

Prevention of hazards due to specified chemical substances

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Harmful Substances Whose Names Are to be Indicated on the Label

Article 57 of ISHL, Article 18, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Poisonous and Deleterious Substances Control Law

Not applicable

Explosives Control Law

Νo

High Pressure Gas Safety Act

Not applicable

Fire Service Law:

Non-hazardous material

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Ship (Marine Transportation) Safety Act

See section 14 for more information

Civil Aeronautics Act

See section 14 for more information

Act on Port Regulation Law

See section 14 for more information

16. Other information

Issuing Date25-Oct-2021Revision date30-Nov-2023

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) Ceiling Maximum limit value

* Skin designation + Sensitizers

Key literature references and sources for data used to compile the SDS

JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labelling and Safety Data Sheet (SDS)

<u>Disclaimer</u>

This SDS complies with the requirements of JIS Z 7252:2019 and JIS Z 7253:2019 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 9/9