

Issue date 09-Jun-2021

Revision Date 09-Jun-2021

Revision Number 1

1. Identification

Product Name ThreeBond 1216B

Recommended use of the chemical and restrictions on use

Recommended use Adhesive, Sealant

Details of the supplier of the safety data sheet

Supplier ThreeBond Fine Chemical Co., Ltd.
1-1 Oyama-cho, Midori-ku, Sagami-hara-shi, Kanagawa 252-0146 Japan

Emergency telephone number +81-42-703-7126 (Inquiries regarding SDS)
+81-42-670-5333 (Inquiries regarding product specifications)

2. Hazard(s) identification

GHS - Classification

Flammable liquids	Category 4
Acute toxicity - Oral	Classification not possible
Acute toxicity - Dermal	Classification not possible
Acute toxicity - Inhalation (Gases)	Classification not applicable
Acute toxicity - Inhalation (Vapors)	Classification not possible
Acute toxicity - Inhalation (Dusts/Mists)	Classification not possible
Skin corrosion/irritation	Classification not possible
Serious eye damage/eye irritation	Classification not possible
Respiratory sensitization	Classification not possible
Skin sensitization	Classification not possible
Germ cell mutagenicity	Classification not possible
Carcinogenicity	Classification not possible
Reproductive toxicity	Category 1A
Effects on or via lactation	Yes
Specific target organ toxicity (single exposure)	Classification not possible
Specific target organ toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible
Acute aquatic toxicity	Classification not possible
Chronic aquatic toxicity	Classification not possible
Ozone	Classification not possible

GHS label elements



Signal word Danger

Hazard statements

H360 - May damage fertility or the unborn child
H362 - May cause harm to breast-fed children
H227 - Combustible liquid

Precautionary statements**Prevention**

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid contact during pregnancy and while nursing.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Obtain special instructions or technical data sheet before use.

Response

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage

Store locked up.

Store in a well-ventilated place.

Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards

No information available.

3. Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical nature

Generated during the curing reaction of methyl ethyl ketone oxime

Chemical name	CAS No	Weight-%	ENCS Number	ISHL No
Toluene	108-88-3	0.1-<1	(3)-2,(3)-60,(3)-2,(3)-60	2-(8)-869
Carbon black	1333-86-4	0.1-<1	(5)-5222,(5)-3328	(5)-5222,(5)-3328
Noncrystalline silica	-	1-<10	-	-
Silicone resin and inorganic filler	-	85-<95	-	-
Methyl ethyl ketone oxime	-	-	-	-

Pollutant Release and Transfer Registry (PRTR)

Not applicable

Industrial Safety and Health Law**ISHL Notifiable Substances**

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Chemical name	CAS No	Category	Ordinance number
Toluene	108-88-3	ISHL Notifiable Substances	407
Carbon black	1333-86-4	ISHL Notifiable Substances	130

Harmful Substances Whose Names Are to be Indicated on the Label

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

Chemical name	CAS No	Category	Ordinance number
Toluene	108-88-3	Harmful Substances Whose Names Are to be Indicated on the Label	407

Poisonous and Deleterious Substances Control Law

Not applicable

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

4. First-aid measures

General advice	Show this safety data sheet to the doctor in attendance.
In case of inhalation	Remove to fresh air.
In case of skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.
In case of ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms/effects, acute and delayed	No information available.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).
Note to physicians	Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool container with water spray.
Flammable properties	Combustible liquid.
Special extinguishing media	Cool container with water spray.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Handling

Advice on safe handling	Take equipment measures listed in Section 8. Wear protection gear. Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.
--------------------------------	--

Hygiene Measures	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
-------------------------	---

Storage

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
---------------------------	--

8. Exposure controls/personal protection

Engineering controls	Showers Eyewash stations Ventilation systems.
-----------------------------	---

Exposure guidelines

Chemical name	Japan Society of Occupational Health	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Toluene 108-88-3	TWA: 50 ppm TWA: 188 mg/m ³ Skin ISHL/ACL: 20 ppm	20ppm	TWA: 20 ppm
Carbon black 1333-86-4	TWA: 4 mg/m ³ TWA: 1 mg/m ³	-	TWA: 3 mg/m ³ inhalable particulate matter

Biological occupational exposure limits

Chemical name	Japan Society of Occupational Health	ACGIH
Toluene 108-88-3	0.6 mg/L - blood (Toluene) - within 2 h prior to end of shift at end of work week 0.06 mg/L - urine (Toluene) - within 2 h prior to end of shift at end of work week	0.02 mg/L - blood (Toluene) - prior to last shift of workweek 0.03 mg/L - urine (Toluene) - end of shift 0.3 mg/g creatinine - urine (o-Cresol with hydrolysis) - end of shift

Environmental exposure controls	Install local ventilation or seal source of substances. Install safety shower, hand wash, and
--	---

eye wash station. Clearly indicate the location.

Personal protective equipment

Respiratory protection	In case of inadequate ventilation wear respiratory protection.
Hand protection	Wear suitable gloves.
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Color	Black
Odor	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	no data available	
Boiling point / boiling range	no data available	
Flammability	no data available	
Upper/lower flammability or explosive limits	no data available	
Upper flammability or explosive limits		
Lower flammability or explosive limits		
Flash point	68 °C	
Autoignition temperature	no data available	
Decomposition temperature	no data available	
pH	no data available	
Kinematic viscosity	no data available	
Dynamic viscosity	120 Pa • s	
Water solubility	Slightly soluble	
Solubility(ies)	no data available	
Partition Coefficient (n-octanol/water)	no data available	
Vapor pressure	no data available	
Relative vapor density	no data available	
Relative density	1.5	
Particle characteristics		
Particle Size	no data available	
Particle Size Distribution	no data available	

10. Stability and reactivity

Stability	Stable under normal conditions.
Possibility of hazardous reactions	React with moisture in air. Gradually release hazardous gas.
Conditions to avoid	Extreme heat.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May generate harmful gas by incineration. Carbon oxides.

11. Toxicological information

Acute toxicity

Classification not possible.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 13,588.20 mg/kg
ATEmix (dermal) 17,786.30 mg/kg

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
Carbon black	> 15400 mg/kg (Rat)	-	> 4.6 mg/m ³ (Rat) 4 h

Abbreviations and acronyms

Rat: Rat

Rabbit: Rabbit

Symptoms No information available.

Product Information

Ingestion Specific test data for the substance or mixture is not available.

Inhalation Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin corrosion/irritation Based on available data, the classification criteria are not met. Classification not possible.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met. Classification not possible.

Respiratory or skin sensitization Classification not possible.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Classification not possible.

Carcinogenicity The hazardous substance(s) which is (are) any of the following substances and listed on section 3 is (are) embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards of the hazardous substance(s). Silica, Quartz, Carbon black, Titanium oxide, Crystalline silica. Based on available data, the classification criteria are not met. Classification not possible.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Japan	IARC
Toluene 108-88-3	-	Group 3
Carbon black 1333-86-4	2	Group 2B

Legend

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child. May cause harm to breast-fed children.
Target organ effects	Eyes. Respiratory system. Skin.
STOT - single exposure	The following hazardous substance is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards of the hazardous substance. Silica. Based on available data, the classification criteria are not met. Classification not possible.
STOT - repeated exposure	The hazardous substance(s) which is (are) any of the following substances and listed on section 3 is (are) embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards of the hazardous substance(s). Silica, Quartz, Carbon black, Crystalline silica. Based on available data, the classification criteria are not met. Classification not possible.
Aspiration hazard	Based on available data, the classification criteria are not met. Classification not possible.

12. Ecological information

Ecotoxicity Classification not possible.

Percentage for unknown hazards 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50: =12.5mg/L (72h, Pseudokirchneriella subcapitata) EC50: >433mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 11.0 - 15.0mg/L (96h, Lepomis macrochirus) LC50: 14.1 - 17.16mg/L (96h, Oncorhynchus mykiss) LC50: 15.22 - 19.05mg/L (96h, Pimephales promelas) LC50: 5.89 - 7.81mg/L (96h, Oncorhynchus mykiss) LC50: 50.87 - 70.34mg/L (96h, Poecilia reticulata) LC50: =12.6mg/L (96h, Pimephales promelas) LC50: =28.2mg/L (96h, Poecilia reticulata) LC50: =5.8mg/L (96h, Oncorhynchus mykiss) LC50: =54mg/L (96h, Oryzias latipes)	EC50: 5.46 - 9.83mg/L (48h, Daphnia magna) EC50: =11.5mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation No data available as this product.

Component Information

Chemical name	Partition coefficient
Toluene 108-88-3	2.7

Mobility in soil No information available.

Hazardous to the ozone layer Classification not possible. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

13. Disposal considerations

Waste from residues/unused products Dispose of in accordance with national, state and local regulations. Consult industrial waste management companies for waste. Do not release this product to natural environment nor reclaim.

Contaminated packaging Dispose containers as same as residual of this product.

14. Transport information

IMDG Not regulated

ADR Not regulated

IATA Not regulated

Japanese regulations Not regulated

15. Regulatory information

National regulations

Pollutant Release and Transfer Registry (PRTR)

Not applicable

Industrial Safety and Health Law

Harmful Substances Whose Names Are to be Indicated on the Label

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

ISHL Notifiable Substances

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Poisonous and Deleterious Substances Control Law

Not applicable

Explosives Control Law

Not applicable

High Pressure Gas Safety Act

Not applicable

Fire Service Law:

Designated Combustible Substances - Combustible solids

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Ship (Marine Transportation) Safety Act

See section 14 for more information

Civil Aeronautics Act

See section 14 for more information

16. Other information

Revision Date 09-Jun-2021

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	Ceiling	Maximum limit value
*	Skin designation	+	Sensitizers

Key literature references and sources for data

JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)". JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labelling and Safety Data Sheet (SDS).

Disclaimer

This SDS complies with the requirements of JIS Z 7252:2019 and JIS Z 7253:2019 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.