

Issuing Date 10-Sep-2021
Revision date 04-Dec-2023
Revision Number 2

1. Identification

Product Name ThreeBond 1322D

Details of the supplier of the safety data sheet

Supplier

ThreeBond Fine Chemical Co., Ltd.
1-1 Oyama-cho, Midori-ku, Sagamihara-shi, Kanagawa 252-0146 Japan

Emergency telephone number

+81-42-703-7126 (Inquiries regarding SDS content)
+81-42-670-5333 (Inquiries regarding the product or SDS claim)

Recommended use of the chemical and restrictions on use

Recommended use Adhesive, Sealant

Restrictions on use Please be sure to confirm in advance the appropriateness and safety of using the product for the relevant application. If the product is to be used for applications other than those recommended, please seek professional judgment. This product is for industrial use and its use for household and medical implants is prohibited.

2. Hazard(s) identification

GHS Classification

Acute toxicity - Oral	Classification not possible
Acute toxicity - Dermal	Classification not possible
Acute toxicity - Inhalation (Gases)	Classification not applicable
Acute toxicity - Inhalation (Vapors)	Classification not possible
Acute toxicity - Inhalation (Dusts/Mists)	Classification not possible
Skin corrosion/irritation	Classification not possible
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Classification not possible
Skin sensitization	Classification not possible
Germ cell mutagenicity	Classification not possible
Carcinogenicity	Classification not possible
Reproductive toxicity	Category 1A
Effects on or via lactation	Yes
Specific target organ toxicity (single exposure)	Classification not possible
Specific target organ toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible
Acute aquatic toxicity	Classification not possible
Chronic aquatic toxicity	Not classified
Ozone	Classification not possible

GHS label elements

**Signal word**

Danger

Hazard statements

H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child

H362 - May cause harm to breast-fed children

Precautionary statements**Prevention**

- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid contact during pregnancy and while nursing
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Obtain special instructions or technical data sheet before use

Response

- IF exposed or concerned: Get medical advice/attention
- Specific treatment (see section 4 on this SDS)

Eyes

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Skin

- IF ON SKIN: Wash with plenty of water and soap
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash it before reuse

Storage

- Store locked up

Disposal

- Dispose of contents/container to an approved waste disposal plant

Other hazards

No information available.

3. Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical name	CAS No.	Weight-%	ENCS Number	ISHL No.
Toluene	108-88-3	0.1-<1	(3)-2,(3)-60	2-(8)-869
Cumene	98-82-8	0.1-<1	(3)-22	(3)-32,(3)-22
Methacrylic acid ester	-	90-<99		

This product contains ≥ 0.1 - $< 1.0\%$ of substance(s) that are classified for Skin sensitization Category 1/1B.

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health Law

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Toluene	Toluene	108-88-3	
Cumene	Cumene	98-82-8	

Harmful Substances Whose Names Are to be Indicated on the Label

Article 57 of ISHL, Article 18, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Toluene	Toluene	108-88-3	

Poisonous and Deleterious Substances Control Law

Not applicable

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

4. First-aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
In case of inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
In case of skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
In case of ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Most important symptoms/effects, acute and delayed	May cause redness and tearing of the eyes. Burning sensation.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Note to physicians	Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Special Extinguishing Media	Cool container with water spray.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Other information

CAUTION: Use of water spray when fighting fire may be inefficient.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information

Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage**Handling****Advice on safe handling**

Take equipment measures listed in Section 8. Wear protection gear. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

Hygiene Measures

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Storage**Storage Conditions**

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection**Exposure guidelines**

Chemical name	Japan Society of Occupational Health	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV	Japan ISHA Workplace exposure limit - 8 hours	Japan ISHA Workplace exposure limit - Short time
Toluene 108-88-3	TWA: 50 ppm TWA: 188 mg/m ³ S*	20 ppm	Ototoxicant - potential to cause hearing disorders TWA: 20 ppm	-	-
Cumene 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ S*	-	TWA: 5 ppm	10 ppm	-

Biological monitoring indicator

Chemical name	Japan Society of Occupational Health	ACGIH
---------------	--------------------------------------	-------

Toluene 108-88-3	0.6 mg/L - blood (Toluene) - within 2 h prior to end of shift at end of work week 0.06 mg/L - urine (Toluene) - within 2 h prior to end of shift at end of work week	0.02 mg/L - blood (Toluene) - prior to last shift of workweek 0.03 mg/L - urine (Toluene) - end of shift 0.3 mg/g creatinine - urine (o-Cresol with hydrolysis) - end of shift
---------------------	---	--

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Environmental exposure controls

Install local ventilation or seal source of substances. Install safety shower, hand wash, and eye wash station. Clearly indicate the location.

Personal protective equipment**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. If workers are exposed to gases or vapors, consider wearing respiratory protective equipment (e.g., gas masks). When handling highly concentrated chemicals, consider wearing an air-supplied respirator. When selecting a respirator, the following points should be considered.
-Do not use masks in areas where the oxygen concentration is less than 18%.
-When using a gas mask in an environment where workers are exposed to dust, use an absorbent can with dustproof function.
-Select a gas mask with performance and construction suitable for the work in accordance with the Japanese Industrial Standard (JIS T8152), and refer to the data provided in the instruction manual.

Hand protection

Wear suitable gloves. Impervious gloves. Consider wearing impervious protective gloves. When selecting protective gloves, the following points should be considered.
-Referring to the impermeability class, etc. listed in the instruction manual, set a use time that allows for the work, and use protective gloves within that time range.

Eye/face protection

If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Color	Red
Odor	Distinct odor

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	no data available	
Initial boiling point and boiling range		
Flammability	no data available	
Upper/lower flammability or explosive limits		
Upper flammability or explosive limits	no data available	
Lower flammability or explosive limits	no data available	
Flash point	Not flammable	
Evaporation rate	no data available	
Autoignition temperature	no data available	
Decomposition temperature	no data available	
pH	no data available	
Viscosity		
Kinematic viscosity	no data available	

Dynamic viscosity	150 mPa·s
Water solubility	Slightly soluble in water
Solubility(ies)	no data available
Partition Coefficient (n-octanol/water)	no data available
Vapor pressure	no data available
Density and/or relative density	
Relative density	1.1
Liquid Density	no data available
Bulk density	no data available
Relative vapor density	no data available
Particle characteristics	
Particle Size	no data available
Particle Size Distribution	no data available

Other information

Explosive properties	no data available
Oxidizing properties	No data available

10. Stability and reactivity

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Polymerize by contacting metals and excluding oxygen. Polymerize by heat.
Conditions to avoid	heating.
Incompatible materials	Metals.
Hazardous decomposition products	May generate harmful gas by incineration.

11. Toxicological information**Acute toxicity****Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	6,739.40 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
Cumene	= 1400 mg/kg (Rat)	= 12300 µL/kg (Rabbit)	> 3577 ppm (Rat) 6 h

Abbreviations and acronyms

Rat: Rat

Rabbit: Rabbit

Symptoms	Redness. May cause redness and tearing of the eyes.
-----------------	---

Product Information

Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.

Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.
------------------------	---

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Japan	IARC
Toluene 108-88-3	-	Group 3
Cumene 98-82-8	1B	Group 2B

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	Classification based on data available for ingredients. May damage fertility or the unborn child. May cause harm to breast-fed children.
------------------------------	--

12. Ecological information

Ecotoxicity	Classification not possible. Based on available data, the classification criteria are not met.
--------------------	--

Chemical name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50: >433mg/L (96h, <i>Pseudokirchneriella subcapitata</i>) EC50: =12.5mg/L (72h, <i>Pseudokirchneriella subcapitata</i>)	LC50: 15.22 - 19.05mg/L (96h, <i>Pimephales promelas</i>) LC50: =12.6mg/L (96h, <i>Pimephales promelas</i>) LC50: 5.89 - 7.81mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 14.1 - 17.16mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =5.8mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 11.0 - 15.0mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =54mg/L (96h, <i>Oryzias latipes</i>) LC50: =28.2mg/L (96h, <i>Poecilia reticulata</i>) LC50: 50.87 - 70.34mg/L (96h, <i>Poecilia reticulata</i>)	EC50: 5.46 - 9.83mg/L (48h, <i>Daphnia magna</i>) EC50: =11.5mg/L (48h, <i>Daphnia magna</i>)
Cumene	EC50: =2.6mg/L (72h, <i>Pseudokirchneriella subcapitata</i>)	LC50: 6.04 - 6.61mg/L (96h, <i>Pimephales promelas</i>) LC50: =4.8mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =2.7mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =5.1mg/L (96h, <i>Poecilia reticulata</i>)	EC50: =0.6mg/L (48h, <i>Daphnia magna</i>) EC50: 7.9 - 14.1mg/L (48h, <i>Daphnia magna</i>)

Percentage for unknown hazards 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Toluene 108-88-3	2.73
Cumene 98-82-8	3.55

Mobility in soil No information available.

Hazardous to the ozone layer Classification not possible. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

13. Disposal considerations

Waste from residues/unused products Dispose of in accordance with national, state and local regulations. Consult industrial waste management companies for waste. Do not release this product to natural environment nor reclaim.

Contaminated packaging Dispose containers as same as residual of this product.

14. Transport information

<u>IMDG</u>	Not regulated
<u>ADR</u>	Not regulated
<u>IATA</u>	Not regulated
<u>Japan</u>	Not regulated

15. Regulatory information

National regulations

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health Law

Prevention of hazards due to specified chemical substances

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Harmful Substances Whose Names Are to be Indicated on the Label

Article 57 of ISHL, Article 18, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Poisonous and Deleterious Substances Control Law

Not applicable

Explosives Control Law

No

High Pressure Gas Safety Act

Not applicable

Fire Service Law:

Non-hazardous material

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Ship (Marine Transportation) Safety Act

See section 14 for more information

Civil Aeronautics Act

See section 14 for more information

Act on Port Regulation Law

See section 14 for more information

16. Other information

Issuing Date 10-Sep-2021

Revision date 04-Dec-2023

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	Ceiling	Maximum limit value
*	Skin designation	+	Sensitizers

Key literature references and sources for data used to compile the SDS

JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labeling and Safety Data Sheet (SDS)

Disclaimer

This SDS complies with the requirements of JIS Z 7252:2019 and JIS Z 7253:2019 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.