ThreeBond

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: JIS Z 7252:2019; JIS Z 7253:2019

> Revision date 15-Nov-2023 Revision Number 2

1. Identification

Product Name ThreeBond 1360F

Details of the supplier of the safety data sheet

Supplier

ThreeBond Fine Chemical Co., Ltd.

1-1 Oyama-cho, Midori-ku, Sagamihara-shi, Kanagawa 252-0146 Japan

Emergency telephone number

+81-42-703-7126 (Inquiries regarding SDS content)

+81-42-670-5333 (Inquiries regarding the product or SDS claim)

Recommended use of the chemical and restrictions on use

Recommended use Adhesive, Sealant

Restrictions on use Please be sure to confirm in advance the appropriateness and safety of using the product for the relevant application If the product is to be used for applications other than those recommended, please seek professional judgment This product is for industrial use and its use for household and medical implants is prohibited.

2. Hazard(s) identification

GHS Classification

<u>Grio Classification</u>	
Acute toxicity - Oral	Classification not possible
Acute toxicity - Dermal	Classification not possible
Acute toxicity - Inhalation (Gases)	Classification not applicable
Acute toxicity - Inhalation (Vapors)	Classification not possible
Acute toxicity - Inhalation (Dusts/Mists)	Classification not possible
Skin corrosion/irritation	Classification not possible
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Classification not possible
Skin sensitization	Category 1
Germ cell mutagenicity	Classification not possible
Carcinogenicity	Classification not possible
Reproductive toxicity	Classification not possible
Effects on or via lactation	Classification not possible
Specific target organ toxicity (single exposure)	Classification not possible
Specific target organ toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible
Acute aquatic toxicity	Classification not possible
Chronic aquatic toxicity	Classification not possible
Ozone	Classification not possible

GHS label elements



Signal word **Hazard statements**

Warning

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

Precautionary statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves/protective clothing/eye protection/face protection

Response

• Specific treatment (see .? on this SDS)

Eyes

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

- IF ON SKIN: Wash with plenty of water and soap
- If skin irritation or rash occurs: Get medical advice/attention
- · Take off contaminated clothing and wash it before reuse

Storage

Not applicable

Disposal

· Dispose of contents/container to an approved waste disposal plant

Other hazards

No information available.

3. Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical name	CAS No.	Weight-%	ENCS Number	ISHL No.
Toluene	108-88-3	0.1-<1	(3)-2,(3)-60	2-(8)-869
2-Hydroxyethyl methacrylate	868-77-9	5-<15	(2)-1044	(2)-1044
Cumene	98-82-8	0.1-<1	(3)-22	(3)-32,(3)-22
(Meth)acrylic ester	-	80-<90		

This product contains ≥0.1 - <0.3% of substance (s) that are classified for Reproductive toxicity Category 1/1A/1B/Lactation. This product contains ≥0.1 - <3.0% of substance (s) that are classified for Reproductive toxicity Category 2.

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health Law

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Toluene	Toluene	108-88-3	
Cumene	Cumene	98-82-8	

Harmful Substances Whose Names Are to be Indicated on the Label Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed

Chemical name	CAS No.	Chemical Substances Control Law
Toluene	108-88-3	Priority assessment chemical substance
Cumene	98-82-8	Priority assessment chemical substance

4. First-aid measures

General advice Show this safety data sheet to the doctor in attendance.

In case of inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

In case of skin contact

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

In case of eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

In case of ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Most important symptoms/effects,

acute and delayed

Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Special Extinguishing Media Cool container with water spray.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Other information CAUTION: Use of water spray when fighting fire may be inefficient.

Revision date 15-Nov-2023

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

Handling

Advice on safe handling Take equipment measures listed in Section 8. Wear protection gear. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Hygiene Measures Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

<u>Storage</u>

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Exposure guidelines

Chemical name	Japan Society of Occupational Health	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV	Japan ISHA Workplace exposure limit - 8 hours	Japan ISHA Workplace exposure limit - Short time
Toluene 108-88-3	TWA: 50 ppm TWA: 188 mg/m ³ S*	20 ppm	Ototoxicant - potential to cause hearing disorders TWA: 20 ppm	-	-
Cumene 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ S*	-	TWA: 5 ppm	10 ppm	-

Biological monitoring indicator

Chemical name	Japan Society of Occupational Health	ACGIH
Toluene	0.6 mg/L - blood (Toluene) - within 2 h	0.02 mg/L - blood (Toluene) - prior to

108-88-3	prior to end of shift at end of work week	last shift of workweek
	0.06 mg/L - urine (Toluene) - within 2 h	0.03 mg/L - urine (Toluene) - end of shift
	prior to end of shift at end of work week	0.3 mg/g creatinine - urine (o-Cresol with
		hydrolysis) - end of shift

Engineering controls Showers

Eyewash stations Ventilation systems.

Environmental exposure controls Install local ventilation or seal source of substances. Install safety shower, hand wash, and

eye wash station. Clearly indicate the location.

Personal protective equipment

Respiratory protection In case of inadequate ventilation wear respiratory protection. If workers are exposed to

gases or vapors, consider wearing respiratory protective equipment (e.g., gas masks). When handling highly concentrated chemicals, consider wearing an air-supplied respirator.

When selecting a respirator, the following points should be considered.

-Do not use masks in areas where the oxygen concentration is less than 18%.

-When using a gas mask in an environment where workers are exposed to dust, use an

absorbent can with dustproof function.

-Select a gas mask with performance and construction suitable for the work in accordance with the Japanese Industrial Standard (JIS T8152), and refer to the data provided in the

instruction manual.

Hand protection Wear suitable gloves. Impervious gloves. Consider wearing impervious protective gloves.

When selecting protective gloves, the following points should be considered.

-Referring to the impermeability class, etc. listed in the instruction manual, set a use time

that allows for the work, and use protective gloves within that time range.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Color Green
Odor Distinct odor

Property Values Remarks • Method

Melting point / freezing point no data available

Initial boiling point and boiling range

Flammability no data available

Upper/lower flammability or explosive limits

Upper flammability or explosive no data available

limits

Lower flammability or explosive no data available

limits

Flash point 118 °C

Evaporation rate no data available
Autoignition temperature no data available
Decomposition temperature no data available
pH no data available

Viscosity

Kinematic viscosity no data available **Dynamic viscosity** 500 mPa·s

Water solubilityPartially miscibleSolubility(ies)no data availablePartition Coefficientno data available

(n-octanol/water)

Vapor pressure

Density and/or relative density

Relative density 1.1

Liquid Density no data available
Bulk density no data available
Relative vapor density no data available

Particle characteristics

Particle Size no data available Particle Size Distribution no data available

Other information

Explosive properties no data available
Oxidizing properties No data available

10. Stability and reactivity

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions Polymerize by contacting metals and excluding oxygen. Polymerize by heat.

no data available

Conditions to avoid heating.

Incompatible materials Metals.

Hazardous decomposition products May generate harmful gas by incineration.

11. Toxicological information

Acute toxicity

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
2-Hydroxyethyl methacrylate	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Cumene	= 1400 mg/kg (Rat)	= 12300 μL/kg (Rabbit)	> 3577 ppm (Rat) 6 h

Abbreviations and acronyms

Rat: Rat Rabbit: Rabbit

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Product Information

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Japan	IARC
Toluene	-	Group 3
108-88-3		
Cumene	1B	Group 2B
98-82-8		·

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

12. Ecological information

Ecotoxicity

Classification not possible. Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50: >433mg/L (96h,	LC50: 15.22 - 19.05mg/L (96h,	EC50: 5.46 - 9.83mg/L (48h,
	Pseudokirchneriella	Pimephales promelas)	Daphnia magna)
	subcapitata)	LC50: =12.6mg/L (96h,	EC50: =11.5mg/L (48h,
	EC50: =12.5mg/L (72h,	Pimephales promelas)	Daphnia magna)

	Pseudokirchneriella subcapitata)	LC50: 5.89 - 7.81mg/L (96h, Oncorhynchus mykiss) LC50: 14.1 - 17.16mg/L (96h, Oncorhynchus mykiss) LC50: =5.8mg/L (96h, Oncorhynchus mykiss) LC50: 11.0 - 15.0mg/L (96h, Lepomis macrochirus) LC50: =54mg/L (96h, Oryzias latipes) LC50: =28.2mg/L (96h, Poecilia reticulata) LC50: 50.87 - 70.34mg/L (96h,	
		Poecilia reticulata)	
2-Hydroxyethyl methacrylate	-	LC50: 213 - 242mg/L (96h, Pimephales promelas) LC50: =227mg/L (96h, Pimephales promelas)	-
Cumene	EC50: =2.6mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 6.04 - 6.61mg/L (96h, Pimephales promelas) LC50: =4.8mg/L (96h, Oncorhynchus mykiss) LC50: =2.7mg/L (96h, Oncorhynchus mykiss) LC50: =5.1mg/L (96h, Poecilia reticulata)	EC50: =0.6mg/L (48h, Daphnia magna) EC50: 7.9 - 14.1mg/L (48h, Daphnia magna)

Percentage for unknown hazards0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Toluene	2.73
108-88-3	
2-Hydroxyethyl methacrylate	0.42
868-77-9	
Cumene	3.55
98-82-8	

Mobility in soil No information available.

Hazardous to the ozone layer Classification not possible. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Endocrine Disruptor Information

13. Disposal considerations

Waste from residues/unused

products

Dispose of in accordance with national, state and local regulations. Consult industrial waste managent companies for waste. Do not release this product to natural environment nor

reciaim.

Contaminated packaging Dispose containers as same as residual of this product.

14. Transport information

<u>IMDG</u> Not regulated

ADR Not regulated

IATA Not regulated

Japan Not regulated

15. Regulatory information

National regulations

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health Law

Prevention of hazards due to specified chemical substances

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Harmful Substances Whose Names Are to be Indicated on the Label

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Explosives Control Law

No

High Pressure Gas Safety Act

Not applicable

Fire Service Law:

Flammable liquids, group 4, 3rd class petroleums, water-insoluble, hazard rank III, 2000 liters

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed

Chemical name	CAS No.	Chemical Substances Control Law
Toluene	108-88-3	Priority assessment chemical substance
Cumene	98-82-8	Priority assessment chemical substance

Ship (Marine Transportation) Safety Act

See section 14 for more information

Civil Aeronautics Act

See section 14 for more information

Act on Port Regulation Law

See section 14 for more information

16. Other information

Issuing Date 07-Jun-2021 **Revision date** 15-Nov-2023

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) Ceiling Maximum limit value

* Skin designation + Sensitizers

Key literature references and sources for data used to compile the SDS

JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labelling and Safety Data Sheet (SDS)

Disclaimer

This SDS complies with the requirements of JIS Z 7252:2019 and JIS Z 7253:2019 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 10/10