ThreeBond

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: JIS Z 7253:2019

> Issuing Date 15-Jul-2021 Revision date 03-Feb-2023 Revision Number 2

1. Identification

Product Name ThreeBond 1530P

Details of the supplier of the safety data sheet

Supplier

ThreeBond Fine Chemical Co., Ltd.

1-1 Oyama-cho, Midori-ku, Sagamihara-shi, Kanagawa 252-0146 Japan

Emergency telephone number

+81-42-703-7126 (Inquiries regarding SDS content)

+81-42-670-5333 (Inquiries regarding the product or SDS claim)

Recommended use of the chemical and restrictions on use

Recommended use Adhesive, Sealant

Restrictions on use

Please be sure to confirm in advance the appropriateness and safety of using the product for the relevant application. If the product is to be used for applications other than those recommended, please seek professional judgment. This product is for industrial use and its use for household and medical implants is prohibited.

2. Hazard(s) identification

GHS Classification

Acute toxicity - Oral	Classification not possible
Acute toxicity - Dermal	Classification not possible
Acute toxicity - Inhalation (Gases)	Classification not applicable
Acute toxicity - Inhalation (Vapors)	Classification not possible
Acute toxicity - Inhalation (Dusts/Mists)	Classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Classification not possible
Respiratory sensitization	Classification not possible
Skin sensitization	Classification not possible
Germ cell mutagenicity	Classification not possible
Carcinogenicity	Classification not possible
Reproductive toxicity	Classification not possible
Effects on or via lactation	Classification not possible
Specific target organ toxicity (single exposure)	Classification not possible
Specific target organ toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2
Ozone	Classification not possible

GHS label elements



Signal word Warning Hazard statements

H315 - Causes skin irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid release to the environment

Response

• Specific treatment (see section 4 on this SDS)

Skin

- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- · Collect spillage

Storage

Not applicable

Disposal

· Dispose of contents/container to an approved waste disposal plant

Other hazards

No information available.

3. Composition/information on ingredients

Pure substance/mixture Mixture

Chemical nature Methanol; Generated during polymerization reaction.

Chemical name	CAS No	Weight-%	ENCS Number	ISHL No
Carbon black	1333-86-4	0.1-<1	-	(5)-5222,(5)-3328
Methyl alcohol	67-56-1	-	(2)-201	(2)-201
Tris(2-ethylhexyl)phosphate	78-42-2	16	(2)-2000	(2)-2000
Organic tin compound	-	0.1-<1		
Silyl group terminated polymer, inorganic filler, additive	-	75-<85		

This product contains ≥0.1 - <1.0% of substance(s) that are classified for Skin sensitization Category 1/1B. This product contains ≥0.1 - <0.3% of substance (s) that are classified for Reproductive toxicity Category 1/1A/1B/Lactation. This product contains ≥0.1 - <3.0% of substance (s) that are classified for Reproductive toxicity Category 2.

Until March 31, 2023 Pollutant Release and Transfer Register (PRTR)

The amount of the relevant substance in certain cases referenced in article 4(i)(a) or 4(i)(b) of the Enforcement Order of the Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof (PRTR Act) is calculated based on the conversion factors shown (with safety factor = 1 in cases where conversion factor information is not available)

Chemical name	Cabinet order name	Metal, CN, F, etc	Conversion coefficient	Content rate %	Category	Ordinance number	Control number
*	Phosphoric Acid,			16	Class I	1-458	458

Tris(2-Ethylhexyl	designated	
) Ester	chemical	
	substance	

^{*} Refer to Cabinet order name

After April 1, 2023 Pollutant Release and Transfer Register (PRTR)

The amount of the relevant substance in certain cases referenced in article 4(i)(a) or 4(i)(b) of the Enforcement Order of the Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof (PRTR Act) is calculated based on the conversion factors shown (with safety factor = 1 in cases where conversion factor information is not available)

Chemical name	Cabinet order name	Metal, CN, F, etc	Conversion coefficient	Content rate %	Category	Ordinance number	Control number
*	Phosphoric Acid, Tris(2-Ethylhexyl) Ester			16	Class I designated chemical substance	1-511	458

^{*} Refer to Cabinet order name

Industrial Safety and Health Law

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Chemical name	CAS No	Category	Ordinance number
Carbon black	1333-86-4	ISHL Notifiable Substances	Attached table 9-130
Organic tin compound	-	ISHL Notifiable Substances	322

<u>Harmful Substances Whose Names Are to be Indicated on the Label</u> Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

4. First-aid measures

Most important symptoms/effects,

acute and delayed

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
In case of inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.
In case of skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
In case of ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician or poison control center immediately.

Coughing and/ or wheezing. Difficulty in breathing.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

> material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist. Use personal protective equipment as required. See section 8 for more information.

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

No information available. chemical

Flammable properties Containers may explode when heated.

Special Extinguishing Media Cool container with water spray.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Other information CAUTION: Use of water spray when fighting fire may be inefficient.

6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Do not breathe vapor or mist. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders Use personal protection recommended in Section 8.

Prevent further leakage or spillage if safe to do so. **Environmental precautions**

Methods for containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

Handling

Advice on safe handling Take equipment measures listed in Section 8. Wear protection gear. Avoid contact with

> skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed

system or provide appropriate exhaust ventilation.

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this **Hygiene Measures**

product. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove

and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and

immediately after handling the product.

Storage

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. Exposure controls/personal protection

Exposure guidelines

Chemical name	Japan Society of Occupational Health	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Carbon black 1333-86-4	TWA: 4 mg/m³ TWA: 1 mg/m³	-	TWA: 3 mg/m³ inhalable particulate matter
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ S*	200 ppm	STEL: 250 ppm TWA: 200 ppm S*

Biological occupational exposure limits

Chemical name	Japan Society of Occupational Health	ACGIH
Methyl alcohol	20 mg/L - urine (Methanol) - end of shift	15 mg/L - urine (Methanol) - end of shift
67-56-1		

Engineering controls Showers

Eyewash stations Ventilation systems.

Environmental exposure controls Install safety shower, hand wash, and eye wash station. Clearly indicate the location. Install

local ventilation or seal source of substances.

Personal protective equipment

Respiratory protection In case of inadequate ventilation wear respiratory protection.

Hand protection Wear suitable gloves. Impervious gloves.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidColorBlackOdorSlight odor

Property Values Remarks • Method

Melting point / freezing point Initial boiling point and boiling

range

no data available Not available

Flammability no data available

Upper/lower flammability or explosive limits

Upper flammability or explosive no data available

limits

Lower flammability or explosive no data available

limits

Flash point

Evaporation rate
Autoignition temperature
Decomposition temperature
pH

Not flammable
no data available
no data available
no data available

Viscosity

Kinematic viscosity

Dynamic viscosity 6 Pa·s

Water solubilitySlightly solubleSolubility(ies)no data availablePartition Coefficientno data available

(n-octanol/water)

Vapor pressure no data available

Density and/or relative density

Relative density 1.43

Liquid Density no data available Bulk density no data available Relative vapor density no data available

Particle characteristics

Particle Size no data available
Particle Size Distribution no data available

Other information

Explosive properties no data available Oxidizing properties no data available

10. Stability and reactivity

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions React with moisture in air. Gradually release hazardous gas.

Conditions to avoidNo information available. Excessive heat.

Hazardous decomposition products May generate harmful gas by incineration.

11. Toxicological information

Acute toxicity

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 45,206.80 mg/kg

 ATEmix (dermal)
 21,629.30 mg/kg

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbon black	> 15400 mg/kg (Rat)	-	> 4.6 mg/m ³ (Rat) 4 h
Methyl alcohol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

Tris(2-ethylhexyl)phosphate	= 37 g/kg (Rat)	> 20000 mg/kg (Rabbit)	> 447 mg/m³ (Rat) 4 h

Abbreviations and acronyms

Rat: Rat Rabbit: Rabbit

Symptoms Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing.

Difficulty in breathing.

Product Information

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Toxic by inhalation. (based on components).

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Eye contact Specific test data for the substance or mixture is not available. Irritating to eyes. (based on

components).

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met. Classification not possible.

Respiratory or skin sensitization Classification not possible.

Germ cell mutagenicityBased on available data, the classification criteria are not met. Classification not possible.

Carcinogenicity The hazardous substance(s) which is (are) any of the following substances and listed on

section 3 is (are) embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards of the hazardous

substance(s). Silica, Quartz, Carbon black, Titanium oxide, Crystalline silica. Based on

available data, the classification criteria are not met. Classification not possible.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Japan	IARC
Carbon black	2	Group 2B
1333-86-4		·

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicityBased on available data, the classification criteria are not met. Classification not possible.

Target organ effects Eyes. Respiratory system. Skin.

STOT - single exposureBased on available data, the classification criteria are not met. Classification not possible.

STOT - repeated exposure The hazardous substance(s) which is (are) any of the following substances and listed on

section 3 is (are) embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards of the hazardous substance(s). Silica, Quartz, Carbon black, Crystalline silica. Based on available data, the

classification criteria are not met. Classification not possible.

Aspiration hazard

Based on available data, the classification criteria are not met. Classification not possible.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methyl alcohol	-	LC50: =28200mg/L (96h,	-
		Pimephales promelas)	
		LC50: >100mg/L (96h,	
		Pimephales promelas)	
		LC50: 19500 - 20700mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 18 - 20mL/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 13500 - 17600mg/L (96h,	
		Lepomis macrochirus)	

Percentage for unknown hazards

0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Methyl alcohol	-0.77	
67-56-1		
Tris(2-ethylhexyl)phosphate	6.26	
78-42-2		

Mobility in soil No information available.

Hazardous to the ozone layer Classification not possible. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

13. Disposal considerations

Waste from residues/unused products

Dispose of in accordance with national, state and local regulations. Consult industrial waste managent companies for waste. Do not release this product to natural environment nor

reclaim.

Contaminated packaging Dispose containers as same as residual of this product.

14. Transport information

IMDG

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, Marine pollutant

Transport hazard class(es) 9
Packing group III
Marine pollutant P
FmS-No F-A

EmS-No F-A, S-F Special Provisions 274, 335, 969

ADR

UN number or ID number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Description 3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, (-)

Transport hazard class(es) 9
Packing group III
Environmental hazards Yes
ERG Code 9L

Special Provisions 274, 335, 601, 375

IATA

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

Transport hazard class(es) 9
Packing group III

Special Provisions A97, A158, A197

Japan

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

Transport hazard class(es) 9
Packing group III
Special Provisions 274, 335

15. Regulatory information

National regulations

Until March 31, 2023 Pollutant Release and Transfer Register (PRTR)

Applies See section 3 for more information

After April 1, 2023 Pollutant Release and Transfer Register (PRTR)

Applies See section 3 for more information

Industrial Safety and Health Law

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Poisonous and Deleterious Substances Control Law

Not applicable

Explosives Control Law

Not applicable

High Pressure Gas Safety Act

Not applicable

Fire Service Law:

Non-hazardous material

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Ship (Marine Transportation) Safety Act

See section 14 for more information

Civil Aeronautics Act
See section 14 for more information
Act on Port Regulation Law
See section 14 for more information

16. Other information

Issuing Date 15-Jul-2021 **Revision date** 03-Feb-2023

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) Ceiling Maximum limit value

* Skin designation + Sensitizers

Key literature references and sources for data used to compile the SDS

JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)". JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labelling and Safety Data Sheet (SDS).

Disclaimer

This SDS complies with the requirements of JIS Z 7252:2019 and JIS Z 7253:2019 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.