

Issuing Date 22-Jun-2021
Revision date 04-Dec-2023
Revision Number 2

1. Identification

Product Name ThreeBond 1783

Details of the supplier of the safety data sheet

Supplier

ThreeBond Fine Chemical Co., Ltd.
1-1 Oyama-cho, Midori-ku, Sagami-hara-shi, Kanagawa 252-0146 Japan

Emergency telephone number

+81-42-703-7126 (Inquiries regarding SDS content)
+81-42-670-5333 (Inquiries regarding the product or SDS claim)

Recommended use of the chemical and restrictions on use

Recommended use Adhesive, Sealant

Restrictions on use Please be sure to confirm in advance the appropriateness and safety of using the product for the relevant application. If the product is to be used for applications other than those recommended, please seek professional judgment. This product is for industrial use and its use for household and medical implants is prohibited.

2. Hazard(s) identification

GHS Classification

Flammable liquids	Category 4
Acute toxicity - Oral	Classification not possible
Acute toxicity - Dermal	Classification not possible
Acute toxicity - Inhalation (Gases)	Classification not applicable
Acute toxicity - Inhalation (Vapors)	Classification not possible
Acute toxicity - Inhalation (Dusts/Mists)	Classification not possible
Skin corrosion/irritation	Classification not possible
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Classification not possible
Skin sensitization	Classification not possible
Germ cell mutagenicity	Category 1B
Carcinogenicity	Classification not possible
Reproductive toxicity	Classification not possible
Effects on or via lactation	Classification not possible
Specific target organ toxicity (single exposure)	Category 3
Category 3 Target organ effects: Respiratory irritation.	
Specific target organ toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2
Ozone	Classification not possible

GHS label elements

**Signal word**

Danger

Hazard statements

H227 - Combustible liquid

H319 - Causes serious eye irritation

H340 - May cause genetic defects

H335 - May cause respiratory irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements**Prevention**

- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Obtain special instructions or technical data sheet before use

Response

- IF exposed or concerned: Get medical advice/attention

Eyes

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Inhalation

- IF INHALED: Remove person to fresh air and keep comfortable for breathing
- Call a POISON CENTER or doctor if you feel unwell

Fire

- In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Spill

- Collect spillage

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

- Dispose of contents/container to an approved waste disposal plant

Other hazards

No information available.

3. Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical name	CAS No.	Weight-%	ENCS Number	ISHL No.
Hydroquinone	123-31-9	0.1-<1	(3)-543	(3)-543
Ethyl 2-cyanoacrylate	7085-85-0	90-<99	(2)-2789	(2)-2789
Thickener	-	1-<5		

This product contains ≥ 0.1 - $< 1.0\%$ of substance(s) that are classified for Skin sensitization Category 1/1B. This product contains ≥ 0.1 - $< 1.0\%$ of substance (s) that are classified for Carcinogenicity Category 2.

Pollutant Release and Transfer Register (PRTR)

Not applicable

Industrial Safety and Health LawISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Hydroquinone	Hydroquinone	123-31-9	
Ethyl 2-cyanoacrylate	Ethyl 2-cyanoacrylate	7085-85-0	

Harmful Substances Whose Names Are to be Indicated on the Label

Article 57 of ISHL, Article 18, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Chemical name	Ministerial Ordinance Name	CAS No.	Implementation date
Hydroquinone	Hydroquinone	123-31-9	
Ethyl 2-cyanoacrylate	Ethyl 2-cyanoacrylate	7085-85-0	

Poisonous and Deleterious Substances Control Law

Not applicable

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

4. First-aid measures**General advice**

Show this safety data sheet to the doctor in attendance.

In case of inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

In case of skin contact

Soak skin in warm water. Gently remove material from skin. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

In case of eye contact

Repeatedly wash with water. See doctor. Do not rub eye, nor use organic solvents, remover. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

In case of ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Most important symptoms/effects, acute and delayed

May cause redness and tearing of the eyes. Burning sensation.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

Note to physicians

Treat symptomatically.

5. Fire-fighting measures**Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool container with water spray.
Special Extinguishing Media	Cool container with water spray.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Other information	CAUTION: Use of water spray when fighting fire may be inefficient.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Other information	Refer to protective measures listed in Sections 7 and 8.

7. Handling and storage

Handling

Advice on safe handling	Take equipment measures listed in Section 8. Wear protection gear. Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Storage

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.
---------------------------	---

8. Exposure controls/personal protection

Exposure guidelines

Chemical name	Japan Society of Occupational Health	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV	Japan ISHA Workplace exposure limit - 8 hours	Japan ISHA Workplace exposure limit - Short time
Hydroquinone 123-31-9	-	-	dermal sensitizer TWA: 1 mg/m ³	1 mg/m ³	-
Ethyl 2-cyanoacrylate 7085-85-0	-	-	dermal sensitizer;respiratory sensitizer STEL: 1 ppm TWA: 0.2 ppm	-	-

Biological monitoring indicator Not applicable

Engineering controls Showers
Eyewash stations
Ventilation systems.

Environmental exposure controls Install local ventilation or seal source of substances. Install safety shower, hand wash, and eye wash station. Clearly indicate the location.

Personal protective equipment

Respiratory protection In case of inadequate ventilation wear respiratory protection. If workers are exposed to gases or vapors, consider wearing respiratory protective equipment (e.g., gas masks). When handling highly concentrated chemicals, consider wearing an air-supplied respirator. When selecting a respirator, the following points should be considered.
-Do not use masks in areas where the oxygen concentration is less than 18%.
-When using a gas mask in an environment where workers are exposed to dust, use an absorbent can with dustproof function.
-Select a gas mask with performance and construction suitable for the work in accordance with the Japanese Industrial Standard (JIS T8152), and refer to the data provided in the instruction manual.

Hand protection Wear suitable gloves. Consider wearing impervious protective gloves. When selecting protective gloves, the following points should be considered.
-Referring to the impermeability class, etc. listed in the instruction manual, set a use time that allows for the work, and use protective gloves within that time range.

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state Liquid
Color Transparent clear
Odor Irritating odor

Property **Values** **Remarks • Method**

Melting point / freezing point	no data available
Initial boiling point and boiling range	
Flammability	no data available
Upper/lower flammability or explosive limits	
Upper flammability or explosive limits	no data available
Lower flammability or explosive limits	no data available
Flash point	82 °C
Evaporation rate	no data available
Autoignition temperature	200 °C or above
Decomposition temperature	no data available
pH	no data available
Viscosity	
Kinematic viscosity	no data available
Dynamic viscosity	800 mPa·s
Water solubility	Slightly soluble
Solubility(ies)	no data available
Partition Coefficient (n-octanol/water)	no data available
Vapor pressure	no data available
Density and/or relative density	
Relative density	no data available
Liquid Density	no data available
Bulk density	no data available
Relative vapor density	no data available
Particle characteristics	
Particle Size	no data available
Particle Size Distribution	no data available

Other information

Explosive properties	no data available
Oxidizing properties	No data available

10. Stability and reactivity

Chemical stability	Rapid polymerization could occur.
Possibility of hazardous reactions	May cause rapid polymerization reaction by heat, high humidity, or direct sun light.
Conditions to avoid	Direct sunlight. High humidity. heating.
Incompatible materials	Water. Bases.
Hazardous decomposition products	May generate harmful gas by incineration.

11. Toxicological information**Acute toxicity****Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
---------------	-----------	-------------	-----------------

Hydroquinone	= 298 mg/kg (Rat)	= 74800 mg/kg (Rabbit)	-
Ethyl 2-cyanoacrylate	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	< 21.1 mg/L (Rat) 1 h

Abbreviations and acronyms*Rat: Rat**Rabbit: Rabbit***Symptoms**

May cause redness and tearing of the eyes.

Product Information**Ingestion**

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Inhalation

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Skin contact

Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Eye contact

Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Germ cell mutagenicity

Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Japan	IARC
Hydroquinone 123-31-9	2	Group 3

Legend**IARC (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to Carcinogenicity in Humans

STOT - single exposure

May cause respiratory irritation.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Hydroquinone	EC50: =0.335mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =0.044mg/L (96h, Oncorhynchus mykiss) LC50: =0.044mg/L (96h, Pimephales promelas) LC50: 0.1 - 0.18mg/L (96h, Pimephales promelas) LC50: =0.17mg/L (96h, Brachydanio rerio)	EC50: =0.29mg/L (48h, Daphnia magna)

Percentage for unknown hazards 0.001 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Hydroquinone 123-31-9	0.5

Mobility in soil No information available.

Hazardous to the ozone layer Classification not possible. Based on available data, the classification criteria are not met.

Other adverse effects No information available.

13. Disposal considerations

Waste from residues/unused products Dispose of in accordance with national, state and local regulations. Consult industrial waste management companies for waste. Do not release this product to natural environment nor reclaim.

Contaminated packaging Dispose containers as same as residual of this product.

14. Transport information

IMDG

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Transport hazard class(es) 9
Packing group III
Marine pollutant P
EmS-No. F-A, S-F
Special Provisions 274, 335, 969

ADR

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, (-)
Transport hazard class(es)	9
Packing group	III
Environmental hazards	No
ERG Code	9L
Special Provisions	274, 335, 601, 375

IATA

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Transport hazard class(es)	9
Packing group	III
Special Provisions	A97, A158, A197
ERG Code	9L

Japan

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Transport hazard class(es)	9
Packing group	III
Environmental hazard	No
Special Provisions	274, 335

15. Regulatory information

National regulations**Pollutant Release and Transfer Register (PRTR)**

Not applicable

Industrial Safety and Health Law**Prevention of hazards due to specified chemical substances**

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

ISHL Notifiable Substances

Article 57-2 of the ISHL, Article 18-2, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Harmful substances requiring risk assessment

Article 57-3 of the ISHL

Harmful Substances Whose Names Are to be Indicated on the Label

Article 57 of ISHL, Article 18, Item 1, Item 2, Table 9 and Item 3, Table 3 of Order for Enforcement

Poisonous and Deleterious Substances Control Law

Not applicable

Explosives Control Law

No

High Pressure Gas Safety Act

Not applicable

Fire Service Law:

Flammable liquids, group 4, 3rd class petroleums, water-insoluble, hazard rank III, 2000 liters

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Ship (Marine Transportation) Safety Act

See section 14 for more information

Civil Aeronautics Act

See section 14 for more information

Act on Port Regulation Law

See section 14 for more information

16. Other information

Issuing Date 22-Jun-2021
Revision date 04-Dec-2023

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	Ceiling	Maximum limit value
*	Skin designation	+	Sensitizers

Key literature references and sources for data used to compile the SDS

JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labelling and Safety Data Sheet (SDS)

Disclaimer

This SDS complies with the requirements of JIS Z 7252:2019 and JIS Z 7253:2019 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.