



Aiming at the new computer platforms with a Type-C USB port, such as Apple's 12-inch MacBook and Google's Chromebook Pixel 2, Transcend's RDC8 card reader with three slots can unleash the full potential of most of the flash cards, including SD cards, microSD cards, and CompactFlash cards. Equipped with USB 3.1 Gen 1 interface, Transcend's RDC8 is an ideal choice for fast and efficient data transfer from a flash card to a laptop with Type-C USB ports.



USB Type-C for new devices

Transcend's RDC8 card reader comes with a reversible USB Type-C connector for greater ease of use. You don't need to worry about plugging it in upside down. The RDC8 card reader is compatible with new laptops or MacBooks featuring a Type-C port.



Compact multifunctional card reader

Transcend's RDC8 card reader is equipped with three slots for SD memory cards, microSD memory cards, and CompactFlash cards, offering you a convenient way to transfer different types of digital files with one compact card reader.



Blazing-fast transfer speeds

Taking full advantage of the USB 3.1 Gen 1 interface for fast transfers, Transcend's RDC8 card reader will unleash the full potential of your high-speed flash cards. In addition, the RDC8 has an LED indicator to show card insertion and data transfer activity.





USB 3.1 Gen 1 Card Readers RDC8

Features

- · USB 3.1 Gen 1 interface
- · USB Type-C connector
- · Multifunctional card reader with SD, microSD, and CompactFlash card slots
- · Transfer high-resolution images and video recordings to your computer faster and more efficiently
- · Download the RecoveRx data recovery software from Transcend's official website



RecoveRx software

Transcend offers the RecoveRx software, a free data recovery utility that allows you to search deep within a storage device for traces of erased files including digital photos, documents, music, and videos.

			•	•				
~	n	\sim	\sim	11	\sim	11	\sim	nc
.)	u	↽	v.i		L.a	u	u	ns
_	М	_	_			٠.	_	

Specifications					
Appearance					
Dimensions	67.6 mm x 45 mm x 15.2 mm (2.66" x 1.77" x 0.60")				
Weight	32 g (1.13 oz)				
Color	Black				
Interface					
USB Type	micro USB to USB Type C				
Connection Interface	USB 3.1 Gen 1				
Hardware					
Card Reader Slot(s)	SD/microSD/CompactFlash				
Operating Environme	ent				
Operating Temperature	0°C (32°F) ~ 70°C (158°F)				
Operating Voltage	5V				
Performance					
Note	Speed may vary due to host hardware, software, usage, and storage capacity.				
Warranty					
Certificate	CE/FCC/BSMI/KC/RCM/EAC				
Warranty	Two-year Limited Warranty				
System Requirement					
Operating System	Microsoft Windows 7 Microsoft Windows 8 Microsoft Windows 10 Mac OS X 10.2.8 or later Linux Kernel 2.6.30 or later				
Compatibility					
Memory Card Supported	SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I) CompactFlash (UDMA7)				
Note	This card reader will work with UHS-II cards, but only operate at UHS-I speeds.				

Ordering Information

TS-RDC8K2

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.



USB 3.1 Gen 1 Card Readers Comparison	⊕ transcend	(f) Transcend	(f) transcend	Transceed Transceed	Thy amend				
	RDC8	RDF9	RDF2	RDF8	RDF5*				
Appearance									
Dimensions (Max.)		56 mm x 24 mm x 8.9 mm							
2cs (a)		(2.20" x 0.94" x 0.35")							
Weight (Max.)	32 g (1.13 oz)	30.6 g (1.08 oz)	26 g (0.91 oz)	32 g (1.13 oz)	18 g (0.63 oz)				
Color	Black	Black	Black	Black/White	Black/White/Pink				
Interface									
USB Type	micro USB to USB Type C	m	nicro USB to USB Ty	ре А	USB Type-A				
Connection Interface	USB 3.1 Gen 1								
Hardware									
Card Reader Slot(s)	SD/microSD CompactFlash	SD/microSD CompactFlash	CFast	SD/microSD CompactFlash	SD/microSD				
Warranty									
Warranty Two-year Limited Warranty									
Compatibility									
Memory Card Supported	SDHC (UHS-I)	SDHC(UHS-II)	CFast 2.0	SDHC (UHS-I)	SDHC (UHS-I)				
	SDXC (UHS-I)	SDXC (UHS-II)		SDXC (UHS-I)	SDXC (UHS-I)				
	microSDHC (UHS-I)	SDHC (UHS-I)		microSDHC (UHS-I)	microSDHC (UHS-I)				
	microSDXC (UHS-I)	SDXC (UHS-I)		microSDXC (UHS-I)	microSDXC (UHS-I)				
	CompactFlash (UDMA7) microSDHC (UHS-I) CompactFlash (UDMA7)								
	microSDXC (UHS-I)								
		mpactFlash (UDMA6							
	Соі	mpactFlash (UDMA7)						
SD UHS-II	-	<u> </u>	-	<u>-</u>	-				
SD UHS-I and below	✓	~	-	✓					
microSD UHS-I and below	~	✓	-						
CompactFlash UDMA5 and below	~	✓	-	✓	-				
CompactFlash UDMA7 & UDMA6	~	✓	-	✓	-				
CFast 2.0 and below	I .								

 $\hbox{*Note: Simultaneous insertion of two cards not supported.}$